
Subject: Re: WIDGET_BASE: Unable to connect to X Windows display: :0.0

Posted by [penteado](#) on Thu, 12 Jan 2012 19:14:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

This question keeps recurring. See, for instance,

http://groups.google.com/group/comp.lang.idl-pvwave/browse_thread/thread/78ef8d5f35d9bbef
http://groups.google.com/group/comp.lang.idl-pvwave/browse_thread/thread/ba794f5d7bc59c6a
http://groups.google.com/group/comp.lang.idl-pvwave/browse_thread/thread/c6f5a033f630339a
http://groups.google.com/group/comp.lang.idl-pvwave/browse_thread/thread/d55570674f13d026

On Jan 12, 3:53 pm, Chao Luo <chaoluo...@gmail.com> wrote:

> Hi guys,
>
> I'm trying to run a program in a remote machine. I logon to remote
> machine (LINUX cluster) from my home desktop. The problem I've got is:
>
> WIDGET_BASE: Unable to connect to X Windows display: :0.0
> WIDGET_BASE: Unable to establish X Connection.
>
> I tried somethings like: ssh -X or set DISPLAY, but still same
> problem.
>
> My question is how to get rid of this problem, or turn off X windows
> in IDL scripts.
>
> Thanks much!
