
Subject: Re: idl hangs when reading ascii file
Posted by [whdaffer](#) on Sat, 19 May 2012 23:00:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Søren;

When you say you've tried 'other methods.' Have you tried something like this?

; --- untested code snippet ---

```
nlines=file_lines('rot.out')
;;; hmmm....might what to check if nlines NE 0 here.
data=fltarr(2,nlines)
openr,lun,'rot.out',/get,error=err
if err ne 0 then begin
  ... handle error however you want to...
  ... perhaps by returning, or exiting? ...
endif
```

```
;; having gotten here, means you've handled the error, so
;; we're good to go.
```

```
readf,lun,data
free_lun,lun
```

; --- untested code snippet ---

You say 'rot.out' constantly being recreated. Is it possible that the manner in which it is being created can leave the file unclosed just at the time you attempt your spawn? I know that you say you put some waits in to make sure, but is it still possible that the writing routine may have errored out before it issued the close, and so the file looks open to the filesystem? I don't know how spawn + cat coming out of an IDL session would react to a file that hasn't been closed by the filesystem yet.

Finally, is this file on an NFS mounted disk? NFS can have some (quite a bit) of latency, particularly if you're doing a lot of opening/closing of a file, which it sounds like you may be doing. If the file is on an NFS mounted disk, try moving to a local disk and see if that fixes it.

Just some thoughts.

whd

On May 18, 9:17 am, Søren Frimann <sfrim...@gmail.com> wrote:

> Hi all,

>

> I'm having a problem that I myself at least consider very strange.

>

> I'm running the below bit of code in IDL

>

> *****

> spawnrob, 'cat rot.out',data

> instr = fltarr(2,n_elements(data))

> print, n_elements(data)

> for i=0,n_elements(data)-1 do begin

> instr(*,i) = float(strsplit(data(i),/extract))

> endfor

> *****

>

> The code uses the shell command cat to read the file 'rot.out'. This

> piece of code is runs over and over since the ascii file 'rot.out' is

> constantly deleted and created anew. At some point however some

> process hang -- I have no control of the terminal and have to kill

> idl.

>

> I know the problem comes from the above piece of code from printing

> diagnostic statements throughout the program, and I've discovered that

> it always stalls at some point within the for-loop

>

> There seems to be no problem with the ascii file itself (after killing

> I can restart idl and read the file with no problems), and the code

> will have worked fine for more than 100 calls before failing.

>

> I've tried introducing wait commands to make sure that the ascii file

> has been written and deleted properly from the disk before trying to

> read it, but that doesn't help either.

>

> I've tried several other ways of reading in the file, but nomatter

> what method I use the code will always fail after some time.

>

> I'm on ubuntu 12.04 32-bit and use IDL 7.0. I've also tried running

> the code on my Ubuntu 12.04 64-bit laptop, also running IDL 7.0, but

> with same result.

>

> I've never had a problem in IDL that baffles me quite this much. Any

> help would be much appreciated.

>

> Cheers,

> Søren