
Subject: Re: plot

Posted by [d.poreh](#) on Sat, 21 Jul 2012 19:59:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Saturday, July 21, 2012 11:10:23 AM UTC-7, David Fanning wrote:

> dave poreh writes:

>

> > I did something like this, but still not working!!!

> >

> > pro read_several_png

> > cd,'D:\p\'

> > pathName="D:\p\"

> > List = findfile(pathName+"*.png")

> > nosFiles=N_ELEMENTS(List)

> > data = ptrarr(nosFiles)

> > outfile = STRARR(nosFiles)

> >

> > for i = 0, nosFiles - 1 do begin

> > x=read_png(list[i],rpal,gpal,bpal)

> > rootname = File_Basename(list[i], '.png')

> > data[i] = ptr_new(x)

> > endfor

> >

> > ps_start, pagetype='a4'

> > !p.multi=[0,3,9]

> > for j=0,26 do cgimage, data[j]

> > !p.multi=0

> > ps_end

> > end

>

> I would try dereferencing your pointer. :-)

>

> *data[j]

>

> Also, you may want more or less space between images.

> The MultiMargin keyword to cgImage can be used to

> adjust this to suit you.

>

> Cheers,

>

> David

>

>

> --

> David Fanning, Ph.D.

> Fanning Software Consulting, Inc.

> Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>

> Sepore ma de ni thui. ("Perhaps thou speakest truth.")

Thanks David, works well:-)
Cheers,
Dave
