
Subject: Re: IDL New Graphics Axis function: bug or feature?
Posted by [lecacheux.alain](#) on Wed, 24 Oct 2012 07:11:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Le mardi 23 octobre 2012 19:32:22 UTC+2, Mark Piper a écrit :

> On Monday, October 22, 2012 6:33:00 PM UTC-6, Manodeep Sinha wrote:

>

>>

>

>> I was trying to add an alternate X-axis to a new graphics plot when I could not place this new X-axis on the plot no matter how I tried. It turns out that the original data co-ordinate was established with /YLOG and the AXIS function wanted the location to be set in `alog10(yrange[1])`.

>

>>

>

>

>

> Hi Manodeep,

>

>

>

> I think this is a bug. Your statement:

>

>

>

> `a0 = axis('X',location=[0.0,ymax],tickdir=1)`

>

>

>

> should place an x-axis at `y=100`. I'll write it up.

>

>

>

> mp

I had the feeling, by looking at the AXIS documentation ("When drawing an X axis, the x coordinate is ignored, etc..."), that the coordinate had to be ignored too in the statement. So that:

`a0 = axis('X',location=[ymax],tickdir=1)`

seems to work, as well as:

`a1 = axis('Y',location=[xmax],tickdir=1)`

in case of Y being log-scaled.

If true, that is definitely a bug, since the starting coordinate of the new axis remains constrained along a direction.

alain.
