
Subject: Re: change values of structure variable
Posted by [wlandsman](#) on Thu, 08 Nov 2012 14:30:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

I don't see a common block in your read2datatmos.pro program. --Wayne

On Wednesday, November 7, 2012 11:58:28 PM UTC-5, sid wrote:

> On Tuesday, November 6, 2012 11:53:57 PM UTC+5:30, wlandsman wrote:

>

>> On Tuesday, November 6, 2012 10:23:40 AM UTC-5, David Fanning wrote:

>

>>

>

>>

>

>>

>

>>> You can't change anything about a structure once you create

>

>>

>

>>> it in the IDL session.

>

>>

>

>>

>

>>

>

>> You can't change dimensions or data types, but you should be able to change structure tag values. So I don't know why the code is not working for the OP (we don't see his common block). But the following works

>

>>

>

>>

>

>>

>

>> pro test1

>

>>

>

>> common var,a

>

>>

>

>> a.b(*,*) = 2500

```
>
>>
>
>> return
>
>>
>
>> end
>
>>
>
>>
>
>>
>
>> pro test
>
>>
>
>> common var,a
>
>>
>
>> a = {b:dblarr(3,5)}
>
>>
>
>> test1
>
>>
>
>> print,a.b
>
>>
>
>> return
>
>>
>
>> end
>
>>
>
>>
>
>>
>
>> IDL> test
```

```

>
>>
>
>>      2500.0000      2500.0000      2500.0000
>
>>
>
>>      2500.0000      2500.0000      2500.0000
>
>>
>
>>      2500.0000      2500.0000      2500.0000
>
>>
>
>>      2500.0000      2500.0000      2500.0000
>
>>
>
>>      2500.0000      2500.0000      2500.0000
>
>
>
> Hi sir,
>
> I tried this method but still it is not working,
>
> His common block is,
>
> atom.common(common block)-COMMON atmosCommon, atmos, H, metals, molecules,
nHmin
>
>
>
> I have written a program as you said like this,
>
> pro test1
>
> common atmosCommon,atmos
>
> atmos.vturb(*,*)=2500.0000
>
> return
>
> end
>
>
>

```

```
> I have called this in the function(read2datmos.pro),
>
>
>
> FUNCTION read2datmos, fileName, BFILE=Bfile
>
> Nx = 0L & Nz = 0L & NHydr = 0L
>
>
>
> openr, unit, fileName, /GET_LUN, /XDR
>
>
>
> readu, unit, Nx, Nz, NHydr
>
> point_lun, unit, 0
>
>
>
> atmos = {Nx: Nx, Nz: Nz, NHydr: NHydr, $
>
>     boundary: lonarr(3), dx: dblarr(Nx), z: dblarr(Nz), $
>
>     T: dblarr(Nx, Nz), n_elec: dblarr(Nx, Nz), $
>
>     vturb: dblarr(Nx, Nz), vx: dblarr(Nx, Nz), $
>
>     vz: dblarr(Nx, Nz), $
>
>     nH: dblarr(Nx, Nz, NHydr)}
>
>
>
> test1 (I have called the program here).
>
>
>
> But still it is not working.
>
>
>
> Will please let me know if there is any mistake.
>
> thanking you
>
> sid
```
