

---

Subject: Re: BP: convenience function for setting breakpoints  
Posted by [Andy Sayer](#) on Thu, 28 Feb 2013 14:31:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi David,

Interesting... I don't know anyone who \*does\* use the workbench!

(I don't use Emacs, either, but another text editor.)

Andy

On Thursday, February 28, 2013 9:00:12 AM UTC-5, David Fanning wrote:

> Tom Grydeland writes:

>

>

>

>> I don't use the workbench or emacs, so setting breakpoints is quite a hassle

>

>

>

> I didn't realize there \*were\* still people not using the Workbench or

>

> EMACS. I should have guessed the cold, frozen North in Tromso! Still

>

> dark there, this time of year? ;-)

>

>

>

> Cheers,

>

>

>

> David

>

>

>

> P.S. To tell you the truth, I think there are still people not using

>

> EMACS or the Workbench in my own lab. But, I prefer not to know about

>

> it. :-(

>

>

>

>

>

> --

>  
> David Fanning, Ph.D.  
>  
> Fanning Software Consulting, Inc.  
>  
> Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>  
>  
> Sepore ma de ni thue. ("Perhaps thou speakest truth.")

---