
Subject: Re: question on READ_CSV

Posted by [andry](#) on Tue, 05 Mar 2013 04:28:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tuesday, March 5, 2013 12:50:15 AM UTC-3:30, David Fanning wrote:

> andry writes:

>

>

>

>> I have a CSV file (example below)

>

>>

>

>> 1,11,06,30,12,57,30,00,,69,39

>

>> 2,11,06,30,13,17,30,00,,68,39

>

>> 3,11,06,30,13,37,30,00,,77,52

>

>> 4,11,06,30,13,57,30,00,,70,44

>

>> 5,11,06,30,14,17,30,00,,72,64

>

>>

>

>> When I read the above file with READ_CSV

>

>> a=READ_CSV(flnm, missing_value=-9999)

>

>>

>

>> I expect the column 9 (starting from 1) to be -9999. However, it skips that column as if there is no column with missing value at all.

>

>>

>

>> Does somebody know how I can force the function to assign the right missing value to that column?

>

>

>

> Here is the problem:

>

>

>

> IDL> str = '1,11,06,30,12,57,30,00,,69,39'

>

> IDL> parts = StrSplit(str, ',', /Extract)

```
>
> IDL> Help, parts
>
>     PARTS      STRING  = Array[10]
>
> IDL> FOR j=0,N_Elements(parts)-1 DO Print, parts[j]
>
> 1
>
> 11
>
> 06
>
> 30
>
> 12
>
> 57
>
> 30
>
> 00
>
> 69
>
> 39
>
>
>
> You see, the column has disappeared.
>
>
>
> I don't think whoever wrote this program envisioned an entire COLUMN
>
> going missing. They were thinking about specific values in otherwise
>
> intact columns going missing.
>
>
>
> I think I would try to find a way to stick my -9999 between those two
>
> extra commas in the data file.
>
>
>
> Cheers,
```

>
>
>
> David
>
> --
>
> David Fanning, Ph.D.
>
> Fanning Software Consulting, Inc.
>
> Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>
>
> Sepore ma de ni thue. ("Perhaps thou speakest truth.")

Thanks David,

I guess you are right, if I just stick -9999 at the very first line, then everything works fine.
