## Subject: Re: Using "the IDL way" and it's still not fast enough Posted by Kenneth Bowman on Wed, 27 Mar 2013 14:42:58 GMT View Forum Message <> Reply to Message

I don't think so. In IDL the first array index varies fastest (is contiguous in memory). But it would depend on how they have chos

contiguous in memory). But it would depend on how they have chosen to implement the MIN algorithm. Wouldn't it be nice if they provided information about things like that in the docs?

Ken Bowman

On 2013-03-27 13:52:26 +0000, Brian J. Daniel said:

```
> Shooting from the hip here, but I expect performance would improve if
> you reorganized your array to [A,B,C,D,M*N]. The min operation should
> be much faster when it looks at the last dimension in the array.
> On Tuesday, March 26, 2013 6:21:00 PM UTC-4, Edward Hyer wrote:
>> Hello IDL wizards.
>>
>>
>>
>> I am trying to speed up a routine whose PROFILER looks like this
   (sorted by total time):
>>
>>
>>
   Module Type Count Only(s) Avg.(s) Time(s) Avg.(s)
>>
  REBIN (S) 2158 285.788439 0.132432 285.788439 0.132432
>>
   MIN (S) 272 39.719054 0.146026 39.719054 0.146026
>>
>>
>> FILE_SEARCH (S) 4 21.07632 5.26908 21.07632 5.26908
>>
>> REFORM (S) 2591 12.59025 0.004859 12.59025 0.004859
>>
>>
>> The heart of the calculation is a>> MINARRAY = MIN(BIGARRAY,DIM=1),
>> where>> BIGARRAY is [M*N,A,B,C,D] and so>> MINARRAY is [A,B,C,D].>>
   M = \sim 10,000
>>
>> N=~200
>>
>> A,B,C,D are all <5
>>
>>
```

```
>>
>> In order to get to BIGARRAY, several steps of REBIN are required. And
>> the result is a calculation that is too slow; it takes 6-20 seconds,
>> depending on the particular machine we run it on. My instinct says that
>> this is not a calculation that should be this slow, though I guess I
>> could be wrong.
>>
>>
>>
>> Note that 1) I don't think memory is an obstacle, we have 16GB of RAM
>> and the routine has peak usage <3 GB (I would know exactly if there was
>> a working MEMTEST for 64bit IDL); 2) Threading is not really an option,
>> as we intend to multiplex this process with 1 job per processor once we
>> get it tuned.
>>
>>
>>
>> Does the collective wisdom of the newsgroup have any suggestions as to
>> why this routine might be spending so much time REBINning, and how we
>> might speed it up?
>>
>>
>>
>> In supplication,
>>
>>
>> --Edward H.
```