
Subject: Re: Maps, overlaying, and !Pmulti (again)
Posted by [Andy Sayer](#) on Tue, 30 Apr 2013 13:34:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

Basically, I am writing a routine to map orbits of satellite data. I want to set it up so, if you want to overlay data from multiple satellites (with e.g. different spatial resolutions and swath positions) onto one image, you can call the routine twice and have the second orbit overlay the first. So in calling the plotting routine twice, map_set will inherently be called twice (although you'd pass the same map projection info).

Is there some better way to approach it? Hmmm. Perhaps I should instead write it so you're overplotting, it omits the second call to map_set?

Andrew

On Tuesday, April 30, 2013 9:26:41 AM UTC-4, David Fanning wrote:

> AMS writes:

>

>

>

>> The situation is, I want to overlay two images (e.g. two separate satellite orbits) on one map projection, through sequential calls to map_set.

>

>>

>

>> If !p.multi=0, this seems to work fine:

>

>>

>

>> map_set

>

>> (plot first orbit)

>

>> map_set,/noerase

>

>> (plot second orbit)

>

>

>

> I'm not sure I understand what you are doing. You have two *different*

>

> map projections that you want to display in the same location in a

>

> graphics window? Why are you using two Map_Set commands?

>

>

>

> Cheers,

>
>
>
> David
>
>
>
>
>
>
>
>
> --
>
> David Fanning, Ph.D.
>
> Fanning Software Consulting, Inc.
>
> Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>
>
> Sepore ma de ni thue. ("Perhaps thou speakest truth.")
