
Subject: Re: IDL: plots in semi- or log-log
Posted by [James Tappin](#) on Tue, 11 Mar 1997 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Tony Adriaansen wrote:

>
> In article <331AC300.41C6@obs-nice.fr>,
> Frederic Paletou <paleto@obs-nice.fr> wrote:
>> Hi there,
>>
>> I'm wondering if there's a simple way to avoid getting
>> a 10^0 tickmark when using a log-axis with PLOT.
>>
>> Cheers,
[SIG.SNIP]
>
> Hi Frederic,
> There's a real simple way IF 10^0 is your FIRST tickmark:
>
> plot_oi,x,y,xtickname='1'
>
> This replaces the first tickmark label only, IDL/PVWAVE
> puts in the others.
>
> Where 10^0 is NOT the first ticklabel, make a string array containing
> the real labels:
>
[SIG.SNIP]

Or more elegantly define a tick format function e.g.

FUNCTION ltformat, iax, index, val

```
jpow = round(alog10(val))
if (jpow eq 0) then return, '1' $
else return, string(jpow, format="('10!u',i0,'!n')")
```

end

then do (e.g.)
plot, x,y, xtickformat='ltformat', /xlog

--
+-----+-----+-----+
James Tappin,	School of Physics & Space Research	O__
sjt@star.sr.bham.ac.uk	University of Birmingham	-- V`
Ph: 0121-414-6462. Fax: 0121-414-3722		
+-----+-----+
