
Subject: Re: Object Field Name Conflicts

Posted by [Lajos Foldy](#) on Sun, 26 Jan 2014 16:07:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Sunday, January 26, 2014 4:41:57 PM UTC+1, David Fanning wrote:

```
>>>> > help, {idl_object }
>>>> ** Structure IDL_OBJECT, 3 tags, length=24, data length=20:
>>>>   IDL_OBJECT_TOP LONG64          0
>>>>   __OBJ__      OBJREF  <NullObject>
>>>>   IDL_OBJECT_BOTTOM
>>>>           LONG64          0
>
> I wonder if someone can check this for us in IDL 7, just to be sure.
>
```

```
IDL> print, !version
{ sparc sunos unix 5.3 Nov 11 1999}
IDL> help, {idl_container}, /str
** Structure IDL_CONTAINER, 6 tags, length=32:
  IDL_CONTAINER_TOP
      DOUBLE = 0.0000000
  IDLCONTAINERVERSION
      INT = 0
  PHEAD      POINTER <NullPointer>
  PTAIL      POINTER <NullPointer>
  NLIST      LONG    0
  IDL_CONTAINER_BOTTOM
      DOUBLE = 0.0000000
IDL>
```

(I think IDL_OBJECT was introduced in IDL8).

regards,
Lajos
