

---

Subject: Re: Help needed for a CASE statement, something subtle going on ...  
Posted by [David Fanning](#) on Wed, 26 Feb 2014 22:57:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

john.hrv583@gmail.com writes:

```
> I'm learning to use CASE statements in IDL, and have tried to put the following code lines
>
> -----
> x = 2
>
> CASE x OF
> 1: print, 'one'
> 2: print, 'two'
> 3: print, 'three'
> 4: print, 'four'
> ELSE: print, 'not one through four'
> ENDCASE
> -----
>
> into a file called "case_st.pro". I then tried to run it under IDL using
> "@case_st", but got the following messages
```

Yes, the "@programname" syntax means execute these commands as if I was typing these at the IDL command line. But, you can't execute multiple line statements such as CASE statements, FOR loops, etc at the command line. (People will tell you differently and then offer you 1970's syntax to do so. Don't listen to them.)

You need to compile, then run, multiple line statements such as this. The simplest way to do that is to put your commands in an IDL procedure, like this.

```
PRO Case_St
x = 2
CASE x OF
  1: print, 'one'
  2: print, 'two'
  3: print, 'three'
  4: print, 'four'
  ELSE: print, 'not one through four'
ENDCASE
END
```

Then, you compile and run the code like this.

```
IDL> case_st
```

Or, you can put your commands in a "main-level" program like this:

```
x = 2
CASE x OF
  1: print, 'one'
  2: print, 'two'
  3: print, 'three'
  4: print, 'four'
  ELSE: print, 'not one through four'
ENDCASE
END
```

Note the END at the end of the program. It is required. To compile and run a main-level program, you do this:

```
IDL> .run case_st
```

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>

Sepore ma de ni thue. ("Perhaps thou speakest truth.")

---