Subject: Re: BarCoords- cgBarplot Posted by David Fanning on Tue, 15 Apr 2014 14:38:50 GMT

View Forum Message <> Reply to Message

Lim writes:

- > I took the example bellow from http://www.idlcoyote.com/cg_tips/barplot.php
- Pro baranderror
- >
- > data = RandomU(-45L, 5) * 10.0
- > labels = ['Exp 1', 'Exp 2', 'Exp 3', 'Exp 4', 'Exp 5']
- > cgLoadct, 33, Clip=[10,245]
- > colors = ['cornflower blue', 'sea green', 'orange red', 'goldenrod', 'dark orchid']
- > cgBarPlot, data, BarNames=labels, Colors=colors, BarCoords=xlocs
- > lowErrs = RandomU(seed, 5)*0.75
- > highErrs = RandomU(seed, 5)*0.5
- > cgPlot, xlocs, data, Err_YLow=lowErrs, Err_YHigh=highErrs, /NoData, /Overplot, \$

Err_Color='charcoal', Err_Thick=2

>

> End

>

- > However Im getting the error message: CGPLOT-->Variable in undefined: X. I also followed the next example using cgwindow and I got the same error.
- >
- > I was expecting to get xlocs automatically but it is not happening.
- >
- > I wonder if someone knows how to get the xlocs

Yeah, don't know when those coordinates went on walk-about. They have been restored now. Thanks for the heads-up.

http://www.idlcoyote.com/programs/cgbarplot.pro

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.idlcoyote.com/

Sepore ma de ni thue. ("Perhaps thou speakest truth.")