Subject: Re: Need to create a polygon shapefile from a binary mask... any functions that could help?

Posted by Russell Ryan on Tue, 01 Jul 2014 15:19:51 GMT

View Forum Message <> Reply to Message

## Hi FSU

I've been trying to do the same thing. I don't have anything working, but this is what I planned to try...

Does the mask have multiple "masks?" Or is it just one monolithic thing? if it's just one grouping of 1s and 0s, then I think this might work... Myabe.... I haven't tried it, but this is where I was going to start.

Use the contour procedure. Set the parameters to only contour the 1s. Use the XY\_PATH variable to have it return the xy values of the contour. We might need to monkey around with the settings on how contour smooths (if it does).

If you have multiple regions, then I think we to use label\_regions in a clever way to go through and contour each region separately and default to the previous.

I'm going on a trip for the Fourth, but I'll be working on this problem with my laptop. If I get anywhere, I'll drop you a line here.

## -Russell

> > >

> >

> >

On Sunday, June 29, 2014 5:49:07 PM UTC-4, ca...@my.fsu.edu wrote:

- > Hey guys, I have a binary mask (just 1s and 0s) and I need to somehow extract the polygons (1s) out of there and convert them to a shapefile. Well all the documentation I've found seems to suggest that I need all the vertex data for each of the polygons I want to add, and I need to add them one by one... is there any other way to go straight from binary mask -> shapefile?
- > If not, is there anyway to extract the polygons from the binary mask easily?
- > Thank you all for the help, finding help online for IDL is painstakingly frustrating sometimes, as I'm sure you all know...
- > Also does anyone have any examples of creating a polygon shapefile? Documentation only has

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive