Subject: Re: Mystical IDL_IDLBridge error
Posted by cgguido on Tue, 14 Oct 2014 17:54:16 GMT

View Forum Message <> Reply to Message

Merci Antoine,

but that was not the problem. No zombie IDL process and a restart does not solve it either...
I am wondering if there is a way to make obj_new() more verbose... or maybe there is a way to
call the idl_idlbridge dll from somewhere else.... just a way to get more info on what's failing....

G

 On Tuesday, October 14, 2014 4:01:15 AM UTC-5, Antoine Cottin wrote:
> Hi Gianguido,
>
>
>
> I had in the past some similar message.
>
> Did restarting your computer solve this kind of issue... if so it certainly means that you have IDL
processes still run/idlde in the background... sometimes IDL is not able to kill some IDL_Bridge
process, it's a known bug under Linux and Os X.
>
>
>
> I solved it by going into the Activity Monitor and manually killed remaining IDL processes...
>
>
>
> Cheers
>
> Antoine
>
>
>
>
>
> Le lundi 13 octobre 2014 19:55:45 UTC+1, Gianguido Cianci a écrit :
>
>> On some of my machines, I cannot get the bridge to work. The error message is mystical and
I have no idea how to dig deeper ... Any tips?
>
>>
>
>>
>

>>

>

>> Thanks,

>

>>

>

>> G

>

>>

>

>>

>

>>

>

>> I cannot get this to

>

>>

>

>> IDL> print, !version

>

>>

>

>> { x86_64 darwin unix Mac OS X 7.1.1 Aug 19 2009   64   64}

>

>>

>

>> IDL> a=obj_new('idl_idlbridge')

>

>>

>

>> % Loaded DLM: IDL_IDLBRIDGE.

>

>>

>

>> % Unable to start IDL_IDLBRIDGE slave process.

>

>>

>

>> % Execution halted at: $MAIN$

>

>>

>

>>

>

>>

>

>>

>

>>
>
>> IDL> print, !version
>
>>
>
>> { x86_64 darwin unix Mac OS X 8.1 Mar 9 2011   64   64}
>
>>
>
>> IDL> a=obj_new('idl_idlbridge')
>
>>
>
>> % Loaded DLM: IDL_IDLBRIDGE.
>
>>
>
>> % Unable to start IDL_IDLBRIDGE slave process.
>
>>
>
>> % Execution halted at: $MAIN$