
Subject: Re: Smooth function question

Posted by [Helder Marchetto](#) on Wed, 15 Oct 2014 14:56:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Wednesday, October 15, 2014 3:37:14 PM UTC+2, zolile...@gmail.com wrote:

> On Wednesday, October 15, 2014 3:11:05 PM UTC+2, zolile...@gmail.com wrote:

>

>> Dear all,

>

>>

>

>> I got a 3D data. I applied a SMOOTH function like smooth(a,3), the plots look fine and when I print the number of elements on the screen are equal as the original data. But when wrote to a file I found that there is a missing element or number is not corresponding with original data. I checked using excel. I am a bit confused, I need some help. Any suggestion is very welcome,

>

>>

>

>> Thanks

>

>>

>

>> Zolile

>

>

>

> openR, Lun, File,/Get_Lun

>

> readf, Lun, str

>

> while~eof(lun) do begin

>

>

>

> readf,lun,date,time,Bx,By,Bz

>

> print,date,time,Bx,By,Bz

>

> Bx_array = [Bx_array, Bx]

>

> By_array = [By_array, By]

>

> Bz_array = [Bz_array, Bz]

>

> endwhile

>

> free_lun,lun

>

```
> Bx_array=Bx_array[1:*]
>
> By_array=By_array[1:*]
>
> Bz_array=Bz_array[1:*]
>
>
>
>
>
> Nx = n_elements(Bx_array)
>
> time = findgen(Nx)
>
> time = time/225.
>
>
>
> Ny = n_elements(By_array)
>
> time = findgen(Ny)
>
> time = time/225.
>
>
>
> Nz = n_elements(Bz_array)
>
> time = findgen(Nz)
>
> time = time/225.
>
>
>
> Smoothed1 = smooth(Bx_array,3)
>
> Smoothed2 = smooth(By_array,3)
>
> Smoothed3 = smooth(Bz_array,3)
>
>
>
> NN1=n_elements(smoothed1)
>
> NN2=n_elements(smoothed2)
>
> NN3=n_elements(smoothed3)
>
```

```

> print, smoothed1
>
>
>
> print, NN1,NN2,NN3
>
>
>
> openw,1,'dataxx.txt'
>
> printf,1,transpose(smoothed1)
>
> close,1

```

According to your post from before, the number of elements by the print command (monitor output) do not match with those of the text file produced.

I tried replicating your last lines:

```

IDL> openw,1,'dataxx.txt'
IDL> smoothed = findgen(100)
IDL> printf,1,transpose(smoothed)
IDL> close,1
IDL> print, FILE_LINES('dataxx.txt')
      100

```

So I get 100 lines in the text file. Something like this:

```

0.000000
1.000000
2.000000
3.000000
4.000000
5.000000
...
95.0000
96.0000
97.0000
98.0000
99.0000

```

This is the same as if I did

```
IDL> print, smoothed
```

So I think there is something missing part in your code or you're mixing up files when checking what has been done.

Maybe try putting a time stamp... something like

```
IDL> start_t = systime()
IDL> print, 'start : '+start_t
IDL> printf,1,start_t
IDL> printf,1,transpose(smoothed)
IDL> end_t = systime()
IDL> print, 'end : '+end_t
IDL> printf,1,end_t
IDL> close,1
```

Do the values in the file and on the screen match?

If they match, then you have to have a file with a number of lines equal to the number of elements of smoothed + 2 (for the time stamps!)

Cheers, Helder
