Subject: Re: IDL 8.4 and ENVI 5.2 Posted by rryan%stsci.edu on Wed, 15 Oct 2014 16:45:57 GMT View Forum Message <> Reply to Message

On Wednesday, October 15, 2014 11:49:56 AM UTC-4, Chris Torrence wrote: > Hi all, > > > IDL 8.4 and ENVI 5.2 have just been released! If you are current on maintenance, you can download the latest release at: > > http://www.exelisvis.com/MyAccount/Downloads.aspx > > > Just be patient if it's slow, because there are a lot of people downloading... > > What's new? Here is a brief summary: > > > ALOG2 function > > > BigInteger class: Allows you to create and manipulate integer numbers of any size. For example: $> b = BigInteger(2)^1279 - 1$ PRINT, '2^1279 - 1 is prime?', b.IsPrime() ? 'true' : 'false' > c = b.NextPrime() > PRINT, 'next prime is ', c - b, ' greater' > >

<i>?</i>
> BOOLEAN Variables: Boolean variables are actually variables of type BYTE with a special boolean flag. There are also two new system variables, !TRUE and !FALSE.
>
>
>
>
, >
> Code Coverage: You can now analyze the code coverage for your applications using the
CODE_COVERAGE function. The function returns the line numbers of code that were executed
and not executed for your given routine. In addition, the Code Coverage feature has been
integrated into the Workbench.
>
>
>
>
>
> Folder Watch: The new FOLDERWATCH object monitors folders for changes and invokes a
user-defined callback whenever a change occurs.
>
>
>
>
>
> FFT Power Spectrum: computes the Fourier Power Spectrum of an array, with optional filtering.
> _
>
>
>
Senerate Code in New Graphics: generates the code needed to reproduce the contents of a graphics window.
>
>
>
>
>
> Lambda Functions and Procedures: create simple inline routines that can be used for functiona programming. For example:
>
> IDL> compile_opt idl2
>
> IDL> lam = LAMBDA(n:n le 3 MIN(n mod [2:FIX(SQRT(n))]))
>
> IDL> PRINT, lam(499), lam(4999), lam(49999), lam(499999)
>
>
>

```
>
> Variable Attributes: You can now access special attributes on all IDL variables. For example:
 var = RANDOMU(seed, 200, 100)
 PRINT, var.length
> PRINT, var.ndim
>
> PRINT, var.dim
> PRINT, var.typecode
>
 PRINT, var.typename
>
>
> Static Methods for IDL Variables: You can now call special static methods on all IDL variables
except objects and structures. For example:
> var1 = RANDOMU(seed, 200, 100)
> PRINT, var1.Mean()
> PRINT, var1.Total()
> var2 = var1.Sort()
> HELP, var2
>
> Plus a bunch of other feature enhancements and library updates. See the "What's New" in the
IDL documentation for the full list:
> http://www.exelisvis.com/docs/WhatsNew.html
>
>
>
>
>
```

> As always, IDL is backwards compatible. All of your existing IDL code should continue to work
as it did before. SAVE files created in earlier versions of IDL will work fine. In addition, SAVE files
created in IDL 8.4 should work fine in IDL 8.3. Finally, we preserved the binary compatibility of IDL 8.4 with 8.3 - so libraries (such as the Slither Python module) should continue to work in 8.4
without needing to be recompiled.
·
>
>
>
>
>
> Cheers,
> Chris
>
> ExelisVIS
Cool I'm anxious to kick the tires.
-Russell