

---

Subject: Re: Displaced errorbars on log-log scale with cgPlot  
Posted by [Helder Marchetto](#) on Wed, 28 Jan 2015 15:53:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Wednesday, January 28, 2015 at 4:25:24 PM UTC+1, Madhavan Bomidi wrote:

```
> Hello David,  
>  
> Please check the below code and the resulting output:  
>  
> -----  
> PRO testerr  
>  
> xdt = [5, 10, 20, 40, 80, 160, 320, 640, 1280, 2560, 5120, 10240]  
>  
>  
> ymean = [ 5.7071102e-07, 1.9411492e-07, 2.4366391e-07, 3.9646722e-07, $  
>     8.8304703e-07, 3.6161633e-06, 1.5931371e-05, 6.4912913e-05, $  
>     0.00019788680, 0.00042545785, 0.00033186864, 0.00031074151 ]  
>  
> ystd = [ 4.1662774e-07, 2.7208043e-07, 4.5170846e-07, 7.2870838e-07, $  
>     1.2310552e-06, 3.6163696e-06, 1.4698943e-05, 6.3878156e-05, $  
>     0.00023048977, 0.00053752256, 0.00033514162, 0.00018645177 ]  
>  
> low_yerr = (ymean - ystd)  
> high_yerr = (ymean + ystd)  
>  
> FigFile = 'testerrplot.ps'  
>  
> cgPS_Open,FigFile  
> cgDisplay  
>  
> cgPlot,xdt,ymean, Font=-1,/XLOG,XStyle=1,YStyle=1, $  
>     XRange=[100000,1],YRange=[0.000000001,0.1], /YLOG, $  
>     CharSize=1.2, ERR_YLow=low_yerr, $  
>     ERR_YHigh=high_yerr, Psym=-16, $  
>     ERR_Color='red7',SymColor='red7',Color='red7'  
>  
> cgPS_Close  
>  
> ; Create a PNG file  
> cgPS2Raster,FigFile,/PNG  
>  
> END  
> -----  
>  
> Thanks in advance,  
> Regards,  
> Madhavan
```

Hi,

that's because the errors are automatically added to the y values. According to David's documentation:

```
;   err_yhigh: in, optional  
;       The high error values that should be added to the dependent or Y data values.  
;   err_ylow: in, optional  
;       The low error values that should be subtracted from the dependent or Y data values.
```

therefore if you change:

```
low_yerr = (ymean - ystd)  
high_yerr = (ymean + ystd)
```

to

```
low_yerr = ystd  
high_yerr = ystd
```

Then comes the real problem... Did you look at the numbers? So here it goes:

```
1.54083e-007  
-7.79655e-008  
-2.08045e-007  
-3.32241e-007  
-3.48008e-007  
-2.06455e-010  
1.23243e-006  
1.03476e-006  
-3.26030e-005  
-0.000112065  
-3.27296e-006  
0.000124290
```

Now the graphics has to place errorbars for negative values. If you select only positive values (4 of them), the plot looks fine:

```
goodVals = where(ymean-ystd gt 0.0, cnt)  
ymean = ymean[goodVals]  
ystd = ystd[goodVals]  
xdt = xdt[goodVals]  
cgDisplay, 600, 600, WID=1, Title='log-log'  
cgPlot,xdt,ymean, Font=-1,/XLOG,XStyle=1,YStyle=1, $  
XRange=[100000,1],YRange=[0.000000001,0.1], /YLOG, $  
CharSize=1.2, ERR_YLow=ystd, $  
ERR_YHigh=ystd, Psym=-16, $  
ERR_Color='red7',SymColor='red7',Color='red7'
```

Cheers,  
Helder

---