
Subject: Re: It's about time

Posted by [David Fanning](#) on Tue, 22 Dec 2015 13:47:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Helder writes:

```
> bstr = [[32b, 32b, 32b, 32b, 32b, 62b, 60b, 0b, 0b, 0b,
0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 32b, 32b, 32b, 47b, 92b, 0b, 0b, 0b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 32b, 32b, 47b, 32b, 39b, 92b, 0b, 0b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 32b, 32b, 47b, 42b, 32b, 92b, 0b, 0b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 32b, 47b, 32b, 111b, 32b, 39b, 92b, 0b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 32b, 47b, 32b, 39b, 42b, 32b, 92b, 0b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 47b, 32b, 39b, 32b, 111b, 32b, 37b, 92b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 47b, 32b, 42b, 32b, 32b, 42b, 32b, 92b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 47b, 95b, 95b, 95b, 95b, 37b, 95b, 95b, 95b, 92b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 32b, 95b, 124b, 95b, 95b, 124b, 95b, 0b, 0b, 0b, 0b, 0b, 0b],$
>      [32b, 32b, 32b, 92b, 95b, 95b, 95b, 95b, 47b, 0b, 0b, 0b, 0b, 0b, 0b],$
>      [77b, 101b, 114b, 114b, 121b, 32b, 67b, 104b, 114b, 105b, 115b, 116b, 109b, 97b,
115b]]
> if !version.release ge '8.3' then print, string(bstr), /implied_print $
>      else for i=0,11 do print, string(bstr[*,i])
```

Had to go looking for my instructions for running IDL again. Totally worth it! :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: <http://www.idlcoyote.com/>

Sepore ma de ni thue. ("Perhaps thou speakest truth.")
