## Subject: Re: Opening and read .dat file double format Posted by alghafisuct on Fri, 25 Dec 2015 13:05:16 GMT

View Forum Message <> Reply to Message

```
On Wednesday, December 23, 2015 at 3:33:21 AM UTC-8, Helder wrote:
> On Wednesday, December 23, 2015 at 8:49:31 AM UTC, algha...@gmail.com wrote:
>> On Monday, December 21, 2015 at 3:17:33 AM UTC-8, Helder wrote:
>>> On Monday, December 21, 2015 at 11:04:11 AM UTC, algha...@gmail.com wrote:
>>> On Monday, December 21, 2015 at 1:42:19 AM UTC-8, Helder wrote:
>>> > On Monday, December 21, 2015 at 8:14:22 AM UTC, algha...@gmail.com wrote:
>>> > On Sunday, December 20, 2015 at 9:52:23 AM UTC-8, Helder wrote:
>>> > > On Sunday, December 20, 2015 at 4:42:19 PM UTC, algha...@gmail.com wrote:
>>> > > On Friday, December 18, 2015 at 7:22:10 AM UTC-8, Craig Markwardt wrote:
>>> > > > On Friday, December 18, 2015 at 7:26:07 AM UTC-5, algha...@gmail.com wrote:
>>>> >>> > Hi everyone
>>>> >>>>>
>>>> > > > I have a .dat file double and is 5000 by 8039. I'm using the file in Matlab and I
want to try to open it in IDL. So I know it is very basic question but I'm new in IDL and I want to
start using it. After I open the file, I want to read like the value of (1,1)
>>>> >>>>
>>>> > > > What format is the data in? ASCII? Binary? Matlab format? It makes a
difference.
>>>> >>>
>>>> > > > Thanks Craig
>>>> >>>
>>>> > > My data is Binary double format and I used the following because I want to extact
the image to see as I'm doing in Matlab
>>>> >>>
>>>> > > > template =
BINARY_TEMPLATE('C:\Users\asus\Desktop\Metasensing\IDL_PROJE
CTS\20151021115853 11 SAR CPLX 0 pres 8.dat')
>>> > > Result = READ_BINARY('C:\Users\asus\Desktop\Metasensing\IDL_PROJECTS\
20151021115853_11_SAR_CPLX_0_pres_8.dat', DATA_DIMS = [4999, 8038])
>>>> >>> im = IMAGE(Result)
>>>> > > end
>>>> >>>
>>>> > > But I got an image meaning nothing to me only white and black image
>>>> >>>>
>>> > > Am I doing the right way or there are other ways to see the image
>>>> >>>
>>>> > > Thanks
>>>> >>>
>>>> >> Difficult to tell.
>>> > > My suggestion would be to try:
>>> > > template = BINARY_TEMPLATE('C:\Users\asus\Desktop\Metasensing\IDL_PROJE
CTS\20151021115853_11_SAR_CPLX_0_pres_8.dat')
>>> > > Result = READ BINARY('C:\Users\asus\Desktop\Metasensing\IDL PROJECTS\
20151021115853 11 SAR CPLX 0 pres 8.dat', DATA DIMS = [4999, 8038])
```

```
>>> > > mn = min(Result, max=mx)
>>> > > print, mn, mx
>>>> > > im = IMAGE(Result)
>>>> > > im.min_value = mn
>>> > > im.max_value = mx
>>>> >>>
>>> > > Any better? If not, what does "print, mn, mx" show? If you're getting the same value,
then there must a problem with the import (read_binary()). (*)
>>>> >>>
>>>> > > Cheers,
>>>> > > Helder
>>>> >>>
>>> > > (*) - or the min/max values are not evenly distributed. Meaning that if one pixel is 0,
one is 1000 and the rest of your data is distributed between 500 and 501... then you won't see
much unless you set min_value and max_value at 500 and 501. You could also try to have a look
at the histogram distribution.
>>>> >>
>>>> > Hi
>>>> >>
>>>> > I got the same thing and the min vale is 0 and the max value is 255
>>>> >>
>>>> > any suggestions?
>>>> >
>>>> > I just noticed that you import using BINARY_TEMPLATE() and READ_BINARY(). I never
used these functions because I normally know how my template looks like and use readu
directely. I'll try to do some guess work: it seems to me as if you're missing something. With
binary_template you generate a structure for importing data that you call "template". This template
should be used in READ_BINARY() to import the data, but you don't use it.
>>> > Why don't you try:
>>> > Result = READ_BINARY('C:\Users\asus\Desktop\Metasensing\IDL_PROJECTS\
20151021115853 11 SAR CPLX 0 pres 8.dat', template=template, DATA DIMS = [4999,
80381)
>>>> >
>>> > and see what happens.
>>>> >
>>>> > If that doesn't work out. Do you know how the data is stored? If it's a simple array of
doubles, you could use something like:
>>>> >
>>> > array = make_array(4999, 8038, /double, /nozero)
>>>> > filename = 'C:\....' ;your file name
>>> > OPENR, importUnit, filename, /GET_LUN
>>> > READU, importUnit, array
>>>> > CLOSE, importUnit
>>> > FREE_LUN, importUnit
>>>> > im = IMAGE(array)
>>>> >
>>>> > cheers.
>>>> > Helder
```

```
>>>>
>>> Thank you very much it's good know. I tried the OPENR way it's double.
>>>>
>>> On my MATLAB code I seprated real and imaginary such as the following
>>>>
>>> array = array (1:2:end, :) + j * array (2:2:end, :);
>>>>
>>> how can that be done in IDL so I can have imagenary and real values
>>>>
>>>> Thanks
>>>
>>> I don't know Matlab. But I guess (yes, it's a guess...) that those Matlab commands put every
odd position value in the real part and even position values in the imaginary part. If so, then I
would try with:
>>> array = make_array(4999, 8038, /dcomplex, /nozero)
>>> This is also a guess... but I suppose that imaginary data is written this way.
>>> Try this and then display the image as:
>>>
>>> im r = IMAGE(real part(array))
>>> im i = IMAGE(imaginary(array))
>>>
>>> and you should see real and imaginary part displayed. Then you can play around and use
other useful commands for imaginary data: abs() and atan(). See the help for details:
>>> http://www.exelisvis.com/docs/ABS.html
>>> http://www.exelisvis.com/docs/ATAN.html with the phase keyword.
>>>
>>> Cheers,
>>> Helder
>>
>> Thanks Helder for the help
>> I tried print,ABS(image(array)) and im_r = IMAGE(real_part(array)) and im_i =
IMAGE(imaginary(array)) to see images but I'm getting the following:
>> % IMAGE: Unable to allocate memory: to make array.
>>
>> if the problem is the memory is not enough, how can I get a small subset of the image and
save it as a new file then I can see if it is working
>>
>> Thanks
>
> Hi.
> I think that the command:
> print,ABS(image(array))
> makes no sense.
>
> What happens if you try this:
> im r = real_part(array)
```

```
> im_i = imaginary(array)
> Everything ok? (it should not give an error unless you run out of memory)
> If that is ok, then you can try to reduce the size of the images. Given that you have an odd
number of rows (8039), you're going to have to use congrid to reduce the size of the image:
> smaller_im_r = congrid(im_r,5000/10.0,8039/10.0)
> smaller im i = congrid(im i.5000/10.0.8039/10.0)
> then
> olm r = image(smaller im r)
> olm i = image(smaller im i)
> If you do get an error, you have to tell me *which* line generated the error.
>
> Cheers.
> Helder
```

Thanks Helder for the help I finally got the image as follows

```
array VV = make array(5000, 5359, /dcomplex, /nozero)
filename_VV = ('C:\Users\asus\Desktop\Metasensing\IDL_PROJECTS\20151021115
853 22 SAR CPLX 0 pres 8.dat')
OPENR, importUnit, filename VV, /GET LUN
READU, importUnit, array_VV
A_VV = ABS(array_VV)
B_VV = A_VV^{0.7/2}
images_VV = image(B_VV, TITLE='Intensity VV')
CLOSE, importUnit
FREE_LUN, importUnit
end
```

Know I have two things to solve. The first one is the gray image is a little bit dark so how can I increase the intensity of it and make it more brighter

The secound is I want to open other .dat file dcomplex in the same page with the same number of array so I can compare them. Can I just copy the previouse thinf and pate it and change the file path? is that right as follow

```
array HH = make array(5000, 5359, /dcomplex, /nozero)
filename HH = ('C:\Users\asus\Desktop\Metasensing\IDL PROJECTS\20151021115
853 11 SAR CPLX 0 pres 8.dat')
OPENR, importUnit, filename HH, /GET LUN
READU, importUnit, array_HH
A = ABS(array_HH)
B = A^{(0.7/2)}
image_HH = image(B, TITLE='Intensity HH')
CLOSE, importUnit
FREE LUN, importUnit
array VV = make array(5000, 5359, /dcomplex, /nozero)
```

filename\_VV = ('C:\Users\asus\Desktop\Metasensing\IDL\_PROJECTS\20151021115 853\_22\_SAR\_CPLX\_0\_pres\_8.dat') OPENR, importUnit, filename\_VV, /GET\_LUN READU, importUnit, array\_VV  $A_VV = ABS(array_VV)$  $B_VV = A_VV^{(0.7/2)}$ images\_VV = image(B\_VV, TITLE='Intensity VV') CLOSE, importUnit FREE\_LUN, importUnit end

## Thanks you