
Subject: Polyfill between two intersecting lines

Posted by [jecca.baker](#) on Mon, 18 Apr 2016 17:09:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello helpful IDL experts!

I have been struggling with this for the past couple of days so hope someone on here might be able to put me straight!

I am trying to plot monthly temperature and rainfall in a Walter & Lieth style climate diagram. I am struggling to work out how to accurately define the polygons of the intersecting lines, as seen in this example R plot: http://www.sisef.it/forest@/papers//no19/Bagnato_679@image00 2.jpg

It is made problematic by the scale change part way up the graph. The code I have so far is copied below - many thanks in advance for any suggestions!

Jess

```
set_plot, 'x'
!p.multi=[0,2,1]
mean_temp=[26.8,26.8,27.0,27.0,26.1,25.4,25.6,26.2,27.4,27.8,27.1,26.8]
mean_precip=[277.9,260.4,257.6,169.0,89.3,31.7,18.9,23.2,79.6,163.4,207.6,255.5]

;define monthly series
months=TIMEGEN(12, START=JULDAY(1,1,2003,0,0,0),UNITS="Month")
xr1=months[0]
xr2=months[-1]
;top section of plot
cgplot,months,findgen(12),xrange=[xr1,xr2],yrange=[100,300],
xstyle=5,ystyle=5,position=[0.05,0.80,0.95,0.95],/nodata
cgaxis, yaxis=1, yrange=[100,300],yminor=1,yticks=1,YTICKFORMAT="(A1)",color='grey',/save
cgtext,xr2+3,450,'300', /data, charsize=1.5,color='dodger blue'
cgoplot,months,mean_precip,color='dodger blue'
;----- fill in polygon below precipitation line in top section
aboveColor='blu5'
FOR j=0,N_Elements(months)-2 DO BEGIN
  data=mean_precip
  yfit=intarr(12)+100
  ; Set initial coordinates.
  x0 = months[j]
  x1 = months[j+1]
  y0 = data[j]
  y1 = data[j+1]
  f0 = yfit[j]
  f1 = yfit[j+1]
  xcoords = [x0, x0, x1, x1, x0]
  ycoords = [f0, y0, y1, f1, f0]
CASE 1 OF
```

```
(y0 GE f0) && (y1 GE f1): cgColorfill, xcoords, ycoords, Color=aboveColor
```

```
(y0 LT f0) && (y1 GT f1): BEGIN  
  theta = ATan( (y1-y0)/(x1-x0) )  
  x2 = (f0-y0) / Tan(theta) + x0  
  xcoords = [x2, x1, x1, x2]  
  ycoords = [f0, y1, f1, f0]  
  cgColorfill, xcoords, ycoords, Color=aboveColor  
END
```

```
(y0 GT f0) && (y1 LT f1): BEGIN  
  theta = ATan( (y1-y0)/(x1-x0) )  
  x2 = (f0-y0) / Tan(theta) + x0  
  xcoords = [x0, x0, x2, x0]  
  ycoords = [f0, y0, f1, f0]  
  cgColorfill, xcoords, ycoords, Color=aboveColor  
END
```

```
ELSE:
```

```
ENDCASE
```

```
ENDFOR
```

```
cgaxis,xaxis=0,xrange=[xr1,xr2],XTICKFORMAT="(A1)",color='grey',xstyle=1,xticks=1,xminor=1  
cgaxis, yaxis=0, yrange=[50,65],YTICKFORMAT="(A1)",yminor=1,yticks=1,color='grey',/save  
;lower section of plot  
cgplot,months,mean_temp,xrange=[xr1,xr2],$  
  xstyle=5,ystyle=5,position=[0.05,0.05,0.95,0.80],/nodata  
cgaxis,xaxis=0,xrange=[xr1,xr2],XTICKUNITS=['Months'],xticki  
nterval=1,xminor=1,xstyle=1,color='grey'  
cgaxis, yaxis=0, yrange=[0,50],yticks=5,yminor=1,ystyle=1,color='red'  
cgaxis, yaxis=0, yrange=[0,50],yticks=5,yminor=1,ystyle=1,color='grey',YTICKF ORMAT=  
"(A1)",/save  
cgoplot,months,mean_temp,color='red'  
cgaxis, yaxis=1,yrange=[0,100],yticks=5,yminor=1,ystyle=1,color='dod ger blue',/save  
cgoplot,months,mean_precip,color='dodger blue'  
cgaxis, yaxis=1,yrange=[0,100],yticks=5,yminor=1,ystyle=1,color='gre y',YTICKFORMAT= "(A1)"  
end
```

;;Up to this point the plot looks ok!! Then I try to fill in above and below the line with the following code and it fails miserably...

```
FOR j=0,N_Elements(months)-2 DO BEGIN  
  data=mean_precip  
  yfit=mean_temp*2  
  ; Set initial coordinates.  
  x0 = months[j]
```

```

x1 = months[j+1]
y0 = data[j]
y1 = data[j+1]
f0 = yfit[j]
f1 = yfit[j+1]
xcoords = [x0, x0, x1, x1, x0]
ycoords = [f0, y0, y1, f1, f0]
; if (data[j] gt 100.) then y0=100
; if (data[j+1] gt 100.) then y1=100
f0 = yfit[j]
f1 = yfit[j+1]
xcoords = [x0, x0, x1, x1, x0]
ycoords = [f0, y0, y1, f1, f0]

```

; Is this a below the line polygon?

CASE 1 OF

(y0 LE f0) && (y1 LE f1): cgColorfill, xcoords, ycoords, Color=belowColor

(y0 LE f0) && (y1 GT f1): BEGIN

theta = ATan((y1-y0)/(x1-x0))

x2 = (f0-y0) / Tan(theta) + x0

xcoords = [x0, x0, x2, x0]

ycoords = [y0, f0, f0, y0]

cgColorfill, xcoords, ycoords, Color=belowColor

END

(y0 GT f0) && (y1 LT f1): BEGIN

theta = ATan((y1-y0)/(x1-x0))

x2 = (f0-y0) / Tan(theta) + x0

xcoords = [x2, x1, x1, x2]

ycoords = [f0, f1, y1, f0]

cgColorfill, xcoords, ycoords, Color=belowColor

END

ELSE:

ENDCASE

; Is this an above the line polygon?

CASE 1 OF

(y0 GE f0) && (y1 GE f1): cgColorfill, xcoords, ycoords, Color=aboveColor

(y0 LT f0) && (y1 GT f1): BEGIN

theta = ATan((y1-y0)/(x1-x0))

x2 = (f0-y0) / Tan(theta) + x0

xcoords = [x2, x1, x1, x2]

ycoords = [f0, y1, f1, f0]

cgColorfill, xcoords, ycoords, Color=aboveColor

END

(y0 GT f0) && (y1 LT f1): BEGIN

theta = ATan((y1-y0)/(x1-x0))

x2 = (f0-y0) / Tan(theta) + x0

xcoords = [x0, x0, x2, x0]

ycoords = [f0, y0, f1, f0]

```
        cgColorfill, xcoords, ycoords, Color=aboveColor
    END
ELSE:
ENDCASE
ENDFOR
```
