
Subject: Re: Identifying tags within a region

Posted by [Markus Schmassmann](#) on Mon, 23 Jan 2017 10:29:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Friday, 20.01.2017 17:23 Alice wrote:

> On Friday, 20 January 2017 17:11:34 UTC+1, Markus Schmassmann wrote:

>> On 01/20/2017 04:29 PM, Alice wrote:

>>> Does anyone know how to retrieve the tags in a chosen region?

>>> Using where condition I chose pixels (ref_ppix) that satisfy a certain condition.

>>> This region have multiple number tags starting from 1.

>>> The command I used is:

>>> loc_p = where(id_chk[ref_ppix] gt 0)

>>>

>>> Here, ref_ppix comes from one image and I collect loc_p in a different image id_chk, which returns locations that have tag > 0.

>>>

>>> I want to know how many tags are there and the method to get those tags.

>>>

>>> Any help would be appreciated.

>> I'm not sure I understand what you want to do, but if I do, LABEL_REGION

>> might be what you are looking for.

>>

>> http://www.harrisgeospatial.com/docs/LABEL_REGION.html

> I have two images that I already labelled with numbers.

> Now, I chose a small region from image1 and want to get the tags in image2 that share the same spatial locations.

assuming labels1 & labels2 are arrays with unsigned integers

containing the labels for image1 & image2 respectively,

furthermore assuming these images have the same dimensions, I would try something like this:

```
h1=histogram(labels1,min=0,reverse_indices=ri1)
```

```
max1=max(labels1)
```

```
nlabels=ulong(max1)
```

```
p1=ptrarr(max1,/allocate_heap)
```

```
for i=0,max1 do begin
```

```
    thisLabels=labels2[r1[r1[i]:r[i+1]-1]]
```

```
    u=uniq(thisLabels,sort(thisLabels))
```

```
    nlabels[i]=n_elements(u)-(u[0] eq 0)
```

```
    *p1[i]=u[(u[0] eq 0):-1]
```

```
endfor
```

This code is untested, if it does not work and you don't find the bug yourself, pleas send me some sample data, then I can do some debugging.

Good Luck, Markus
