Subject: Re: Could I (please) be sent the FAQ????
Posted by jjunker on Tue, 02 Mar 1993 15:11:29 GMT
View Forum Message <> Reply to Message

In article <1mt509INNndl@rave.larc.nasa.gov> zawodny@arbd0.larc.nasa.gov (Dr. Joseph M Zawodny) writes:
> In article <C2xBGr.3so@sdf.lonestar.org> jjunker@sdf.lonestar.org (Jon Junker) writes:
>> Hi:
>>
>> I'm new to this group and would like a copy of the most recent FAQ. I am
>> attempting to formulate a question (for a friend) and I'd like to read
>> the FAQ before I ask a dumb :-) question.
>>
>> Please, e-mail the FAQ to the address below. Thanks.
>>
>>
>
> Jon
> I'm not sure there is a FAQ for this group (at least I've never seen
> one). Just go ahead and ask the question.
>
>
> --
> Joseph M. Zawodny   (KO4LW)   NASA Langley Research Center
> Internet: zawodny@arbd0.larc.nasa.gov   MS-475, Hampton VA, 23681-0001
> Packet: ko4lw@wb0tax.va.usa

A friend of my is trying to pass data from a C program to PV-Wave. We have
looked at the example program (wave_from_c I believe it's called) but were
wondering if there is a better way to implement this. For example, and please
keep in mind I'm not a PV-Wave expert and it is a friend of mine that is
doing this, the example program calls cwavec twice, then it calls wavevars
(to access PV-WAVE CL data space), then it generate some 'random' numbers, calls
cwavec again (to change graphic), and finally cwavec again to terminate.

We are looking for a better way to get the same results. We would like to
get our data (probably from a DB) put it into some type of a structure and
then call WAVE to generate the graphic. Does anyone have a better example
than the one given with wave? Any help is appreciated.

Jon
jjunker@sdf.lonestar.org