Subject: Re: ROI Data Retrival
Posted by Markus Schmassmann on Mon, 19 Jun 2017 08:27:40 GMT
View Forum Message <> Reply to Message

On 06/17/2017 10:23 AM, moxament@gmail.com wrote:

> I am trying to write a code in which an ENVI format image with multi-bands is opened and the associated ROI file is restored. I want to get the data of each class from the image. I have three classes and for each class I want to create an array with number of columns equal to the number of bands and number of lines equal to the number of selected pixels of the ROI (class). My code looks like:

```
>
> :Open and read the all-band file
> ENVI_OPEN_FILE, Inputbands, R_FID = FID, NO_REALIZE = 1
>
> ;Read the header of the data image file
> ENVI_FILE_QUERY, fid, ns = ns, nl = nl, nb = nb
>
> ; Restore the pre saved regions of interest.
> envi restore rois, InputROI
 roi ids = envi get roi ids(fid=fid, roi colors=roi colors, roi names=class names)
>
 Result = ENVI GET ROI DATA(roi ids, FID=FID)
>
>
 However, when I run the code I get the following error:
> % Expression must be a scalar or 1 element array in this context: <BYTE
                                                                           Array[3]>.
> % Execution halted at: ENVI_ROI_ID_VALID 247
  %
                 ENVI GET ROI DATA 908
  %
>
                 $MAIN$
>
> Can you please help? Your efforts are appreciated!!
As an educated guess, I'd say roi_ids is an array, but must be a
scalar or 1 element array. So you probably have to loop.
                                                          --Markus
```