
Subject: Re: error with cgPS_Close Program
Posted by [wlandsman](#) on Tue, 25 Jul 2017 18:09:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

what happens from the Linux prompt when you do?

% which convert

The IDL routines are just spawning to the 'convert' command, which should be in the directory where ImageMagick is installed. Make sure your Linux PATH includes this directory. On my CentOS box I get

% which convert
/usr/bin/convert

On Tuesday, July 25, 2017 at 1:44:35 PM UTC-4, AGW wrote:

> On Thursday, July 20, 2017 at 10:42:00 PM UTC+2, AGW wrote:

>> I installed ImageMagick on fedora, but when I run program with cgPS_Close this message appear

>>

>> ..*****
,,

>> Message from the cgPS_Close Program:

>> The requested raster operation cannot be completed unless ImageMagick is installed.

>> The requested PostScript file has been saved: /home/agamal/1/4pic.ps.

>> Please see http://www.idlcoyote.com/graphics_tips/weboutput.php for details

>> about converting PostScript intermediate files to raster files via ImageMagick.

>> ..*****
,,

>

> IDL> cgPS2Raster, 'IQUVS.ps', /JPEG

> % Compiled module: CGPS2RASTER.

> % Compiled module: SETDEFAULTVALUE.

> % Compiled module: CGROOTNAME.

> % Compiled module: PATH_SEP.

> % Compiled module: STRSPLIT.

> % Compiled module: FILEPATH.

> % Compiled module: CGHASIMAGEMAGICK.

> % Compiled module: CGERRORMSG.

>

> Traceback Report from CGPS2RASTER:

>

> % CGPS2RASTER: ImageMagick cannot be found on this machine.

> % Execution halted at: CGPS2RASTER 416 /coyote/cgps2raster.pro

> % \$MAIN\$
