
Subject: Re: a little bit faster...

Posted by [Inigo Garcia](#) on Mon, 14 Jul 1997 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Liam Gumley wrote:

>
> Sometimes we need to plot spectra which contain millions of points. It
> appears to be faster to use PLOTS (rather than PLOT).
>
> Try the following:
>
> n = 1000000L
> x = lindgen(n)
> y = sin(2.0*!pi*findgen(n)/(n-1))
> t0 = systime(1.0) & plot,x,y & print,systime(1.0)-t0
> t0 = systime(1.0) & plot,x,y,/nodata & plots,x,y & print,systime(1.0)-t0
>
> On my SGI Power Indigo running IDL 5.0, it takes 21.43 sec for the first
> plot, and 12.46 sec for the second plot. I observe similar speedups on
> Linux (IDL 5.0) and Windows NT 3.51 (IDL 4.0.1).
>
> Cheers,
> Liam.

Hi ! I really liked your tip, and I have added some speed to it:

I get in a UltraSparc with Solaris:

```
IDL> n = 1000000L
IDL> x = lindgen(n)
IDL> y = sin(2.0*!pi*findgen(n)/(n-1))
IDL> t0 = systime(1.0) & plot,x,y & print,systime(1.0)-t0
      9.2730690
IDL> t0 = systime(1.0) & plot,x,y,/nodata & plots,x,y &
print,systime(1.0)-t0
      7.3343741
IDL> t0 = systime(1.0) & plot,[min(x),max(x)],[min(y),max(y)],/nodata &
plots,x,y & print,systime(1.0)-t0
      6.3368920
```

Cheers,
I~nigo.

--

```
      \\\//
      (o o)
+-----oOOo(____)oOOo-----+
| I~nigo Garcia Ruiz           |
| Kapteyn Instituut           | Phone: +31-(0)50-3634083 |
```

| Landleven 12 Fax: +31-(0)50-363 |
| 9747 AD GRONINGEN (Netherlands) e-mail: iruiz@astro.rug.nl |
+-----+
