
Subject: Re: newbie question / concatenation of arrays of nested structure
Posted by [Thomas A. McGlynn](#) on Wed, 08 Sep 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

If you don't want to modify the code that is creating the structures to be concatenated then neither of these approaches might be feasible. You could then do something like:

```
first = replicate({...}, ...)
....
second = replicate({...}, ...)
....

temp = replicate(first[0], n_elements(second));
for i=0, n_tags(first[0])-1 do temp.(i) = second.(i)
first = [first,temp]
```

This still isn't too bad, just three lines for a reasonably generic solution.

So long as the types agree you don't even have to worry about the structure tag names matching. One could make build this into a function easily enough -- though a general routine would probably need to deal with recursive structures intelligently (and maybe multi-dimensional arrays of structures).

Regards,
Tom McGlynn

Liam Gumley wrote:

```
>
> Liam Gumley wrote:
>> The only way to create equivalent structures is to use named structures,
>> e.g.
>>
>> IDL> record = {z, a:0, b:'name', c:0}
>> IDL> first = replicate(record, 5)
>> IDL> second = replicate(record, 3)
>> IDL> combo = [first, second]
>
> Note to self: Any time you say "The only way" in this newsgroup, you're
> bound to be wrong.
>
> David's web page correctly points out that copies of an anonymous
> structure are equivalent, and thus can be concatenated, e.g.
>
> IDL> record = {a:0, b:'name', c:{d:0, e:0}}
> IDL> a = record
> IDL> b = record
```

```
> IDL> c = [a, b]
>
> Cheers,
> Liam.
>
> --
> Liam E. Gumley
> Space Science and Engineering Center, UW-Madison
> http://cimss.ssec.wisc.edu/~gumley
```

Subject: Re: newbie question / concatenation of arrays of nested structure
Posted by [Liam Gumley](#) on Wed, 08 Sep 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thomas Launey wrote:

```
> how can I concatenate 2 arrays of anonymous nested structures?
> In other word, try to concatenate the two arrays below
>
> first=replicate({a:0,b:'name',c:{d:0,e:0}},5)
> second=replicate({a:0,b:'name',c:{d:0,e:0}},3)
> third=[first,second]
> % Conflicting data structures: B,concatenation.
> % Execution halted at: $MAIN$
```

Since first and second are anonymous structures, IDL has no way of knowing that they contain the same fields, e.g.

```
IDL> first = replicate({a:0,b:'name',c:{d:0,e:0}},5)
IDL> second = replicate({a:0,b:'name',c:{d:0,e:0}},3)
IDL> help, first, /structure
** Structure <1373ab8>, 3 tags, length=16, refs=1:
  A      INT      0
  B      STRING   'name'
  C      STRUCT   -> <Anonymous> Array[1]
IDL> help, second, /structure
** Structure <13734c8>, 3 tags, length=16, refs=1:
  A      INT      0
  B      STRING   'name'
  C      STRUCT   -> <Anonymous> Array[1]
```

You can see that the structure ids are different (1373ab8 vs. 13734c8). IDL uses the structure id to determine if structures are equivalent.

The only way to create equivalent structures is to use named structures, e.g.

```
IDL> record = {z, a:0, b:'name', c:0}
```

```

IDL> first = replicate(record, 5)
IDL> second = replicate(record, 3)
IDL> combo = [first, second]
IDL> help, first, /structure
** Structure Z, 3 tags, length=16:
  A      INT      0
  B      STRING   'name'
  C      INT      0
IDL> help, second, /structure
** Structure Z, 3 tags, length=16:
  A      INT      0
  B      STRING   'name'
  C      INT      0

```

Now first and second have the same structure id (z), and they can be concatenated. Note that IDL does not like nested anonymous structures inside a named structure, e.g.

```

IDL> record = {x, a:0, b:'name', c:{d:0, e:0}}
% Structures can't have anonymous structure members
% Execution halted at: $MAIN$

```

so you may have to re-think your original record format.

Cheers,
Liam.

--

Liam E. Gumley
Space Science and Engineering Center, UW-Madison
<http://cimss.ssec.wisc.edu/~gumley>

Subject: Re: newbie question / concatenation of arrays of nested structure
 Posted by [Liam Gumley](#) on Wed, 08 Sep 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Liam Gumley wrote:

```

> The only way to create equivalent structures is to use named structures,
> e.g.
>
> IDL> record = {z, a:0, b:'name', c:0}
> IDL> first = replicate(record, 5)
> IDL> second = replicate(record, 3)
> IDL> combo = [first, second]

```

Note to self: Any time you say "The only way" in this newsgroup, you're bound to be wrong.

David's web page correctly points out that copies of an anonymous structure are equivalent, and thus can be concatenated, e.g.

```
IDL> record = {a:0, b:'name', c:{d:0, e:0}}
IDL> a = record
IDL> b = record
IDL> c = [a, b]
```

Cheers,
Liam.

--
Liam E. Gumley
Space Science and Engineering Center, UW-Madison
<http://cimss.ssec.wisc.edu/~gumley>

Subject: Re: newbie question / concatenation of arrays of nested structure
Posted by [davidf](#) on Wed, 08 Sep 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thomas Launey (t_launey@brain.riken.go.jp) writes:

```
> This question has probably been already posted many time.
> how can I concatenate 2 arrays of anonymous nested structures?
> In other word, try to concatenate the two arrays below
>
> first=replicate({a:0,b:'name',c:{d:0,e:0}},5)
> second=replicate({a:0,b:'name',c:{d:0,e:0}},3)
> third=[first,second]
> % Conflicting data structures: B,concatenation.
> % Execution halted at: $MAIN$
>
> I have not been able to find a way to do that properly (without subscripting
> each field one after another) an there are no example in David Fanning's
> book (Hey David, I've bought your great book, please help :-))
```

Not everything is in the book. Sometimes you have to visit my web page. :-)

http://www.dfanning.com/tips/concatenate_structs.html

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting
Phone: 970-221-0438 E-Mail: davidf@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: newbie question / concatenation of arrays of nested structure
Posted by [davidf](#) on Thu, 09 Sep 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Colin Rosenthal (colinr@toliman.uio.no) writes:

- > That ain't a newbie question.
- > A newbie question is "How can I make my axes run exactly from my
- > lowest to my highest data values". :-)

No, no. Newbie questions always start out "How come I can't get any colors...."

Cheers,

David

--

David Fanning, Ph.D.
Fanning Software Consulting
Phone: 970-221-0438 E-Mail: davidf@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: newbie question / concatenation of arrays of nested structure
Posted by [colinr](#) on Thu, 09 Sep 1999 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Wed, 8 Sep 1999 18:16:51 +0900,
Thomas Launey <t_launey@brain.riken.go.jp> wrote:

- > This question has probably been already posted many time.
- > how can I concatenate 2 arrays of anonymous nested structures?

That ain't a newbie question.
A newbie question is "How can I make my axes run exactly from my lowest to my highest data values". :-)

--

