## Subject: contour plots on walls of a cube Posted by eddie haskell on Thu, 11 Nov 1999 08:00:00 GMT View Forum Message <> Reply to Message

Hello all,

I have what feels like a simple problem but I haven't been able to tweak the right strings yet.

I have a 3-D data set and am trying to visualise it by placing contour plots on the back three walls of a cube. The problem is that I can not get one of the contour plots to properly fill the wall without manually adjusting the position. In the example code that follows I always end up with an empty space down the left side of the plot on the back left wall. I can get it to fit by setting the x1 value in the contour call to 0.18 by hand but that just doesn't seem IDL-correct and I would have to manually determine new positions everytime I moved the cube on the page.

Am I missing something obvious, is there a subtle trick that I either haven't learned or have displaced from memory, or is there a completely different way of doing what I want? Thanks for any and all suggestions.

```
Cheers.
eddie
(IDL 5.1 on Solaris and IDL 4.01 on Win95)
dat = randomu(seed, 11, 11)
x1 = 0.2
           ;position coordinates
x2 = 0.8
v1 = 0.2
v2 = 0.8
z1 = 0.0
z2 = 1.0
surface, dat, /nodat, xr=[0,10], yr=[0,10], zr=[0,10], $
 xs=1, ys=1, zs=1, pos=[x1,y1,x2,y2,z1,z2], /save
plots,[x1,x2,x2],[y2,y2,y1],[z1,z1,z1],/nor,/t3d
;;;;;;back left This is the problem.
t3d,/yz
contour, dat, /fill, nlev=10, /noer, /t3d, zval=y2, xr=[0,10], $
 yr=[0,10], xs=5, ys=5, pos=[x1,z1,x2,z2,z1,z2]
```

```
the following do fit properly for me, although I get the front
   corner cut out of the contour on the 'floor'
;;;;;;back right
t3d,/xz
contour, dat, /fill, nlev=10, /noer, /t3d, zval=x2, xr=[0,10], $
 yr=[0,10], xs=5, ys=5, pos=[y1,z1,y2,z2,z1,z2]
;;;;;floor
t3d,/xz
t3d./vz
contour, dat, /fill, nlev=10, /noer, /t3d, zval=z1, xr=[0,10], $
 yr=[0,10], xs=5, ys=5, pos=[x1,y1,x2,y2,z1,z2]
  -----
          A G Edward Haskell
  Center for Coastal Physical Oceanography
\ Old Dominion University, Norfolk VA 23529
   Voice 757.683.4816 Fax 757.683.5550
       e-mail haskell*ccpo.odu.edu
```

Subject: Re: contour plots on walls of a cube Posted by davidf on Fri, 12 Nov 1999 08:00:00 GMT

View Forum Message <> Reply to Message

Eddie Haskell (haskell@see.signature.edu) writes:

- > I have been delaying learning object graphics as I
- > have spent the past several weeks learning object-oriented C++ and did
- > not want to potentially confuse myself with two new language styles at
- > the same time (seniscanisneofabricaphobia).

Thank \*God\* I finally have a name for it! I've been going crazy for a month now, afraid to tell my wife what's wrong with me and more afraid yet to open that fat JAVA book. :-)

Cheers,

David
-David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: contour plots on walls of a cube Posted by eddie haskell on Fri, 12 Nov 1999 08:00:00 GMT View Forum Message <> Reply to Message

## David Fanning wrote:

- > I think this has something to do with the axis rotation.
- > Notice that it does \*exactly\* what you want if you set
- > the AZ keyword on the Surface command to 0.

I had noticed that myself, which only added to my confusion.

Using /NOCLIP does fix the front corner problem (I should have known that) and fixes the back wall MOST of the time. For some datasets it fills the wall completely but for others it doesn't seem to make a difference. Go figure.

- > I'll bet it would work correctly if you put this into
- > object graphics. :-)

I am sure it would. I have been delaying learning object graphics as I have spent the past several weeks learning object-oriented C++ and did not want to potentially confuse myself with two new language styles at the same time (seniscanisneofabricaphobia). However, I suppose it's time to bite the bullet and give it a whirl.

