
Subject: How to change directory to a NT server
Posted by [Peter Brooker](#) on Thu, 06 Jan 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

I am running IDL on an NT.

To move to an nt server I double click on the "Network Neighborhood" and then select where I want to go.

I know that I can "Map a Network Drive" to a letter such as G: Then I can use the IDL command "CD" to move to G:

Must I "Map" the network drive in order for IDL to move to it? Can IDL somehow move to "Network Neighborhood" rather than to virtual drive G: ?

thanks-Peter Brooker

Subject: Re: How to change directory to a NT server
Posted by [R.Bauer](#) on Fri, 21 Jan 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Peter Brooker wrote:

```
>  
> When I go into "Map Network Drive" on my NT, it comes up with drive H:. Under  
> path it lists  
>  
> \\8100NTSERVER\8100 Files  
>  
> I have tried  
>  
> a=findfile("\\8100NTSERVER\8100 Files")  
>  
>
```

try.

```
help,findfile("\\8100NTSERVER\*.*)"
```

cia

R.Bauer

File Attachments

1) [R.Bauer.vcf](#), downloaded 85 times

Subject: Re: How to change directory to a NT server
Posted by [Peter Brooker](#) on Mon, 24 Jan 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
IDL> help,findfile("\\8100NTSERVER\*.*)  
<Expression>  STRING  = "
```

Still no luck.

"R.Bauer" wrote:

```
> Peter Brooker wrote:  
>>  
>> When I go into "Map Network Drive" on my NT, it comes up with drive H:. Under  
>> path it lists  
>>  
>> \\8100NTSERVER\8100 Files  
>>  
>> I have tried  
>>  
>> a=findfile("\\8100NTSERVER\8100 Files')  
>>  
>>  
>  
> try.  
>  
> help,findfile("\\8100NTSERVER\*.*)  
>  
> cia  
>  
> R.Bauer
```

Subject: Re: How to change directory to a NT server
Posted by [R.Bauer](#) on Sun, 30 Jan 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Peter Brooker wrote:

```
>  
> IDL> help,findfile("\\8100NTSERVER\*.*)  
> <Expression>  STRING  = "  
>  
> Still no luck.  
>  
> "R.Bauer" wrote:  
>  
>> Peter Brooker wrote:  
>>>
```

```
>>> When I go into "Map Network Drive" on my NT, it comes up with drive H:. Under
>>> path it lists
>>>
>>> \\8100NTSERVER\8100 Files
>>>
>>> I have tried
>>>
>>> a=findfile("\\8100NTSERVER\8100 Files')
>>>
>>>
>>
>> try.
>>
>> help,findfile("\\8100NTSERVER\*. *')
>>
```

OK next

"8100NTSERVER" should be the full address e.g. 8100NTSERVER.ibm.de
"volume" should be the name of a volume on the NT-Server

```
help,findfile("\\8100NTSERVER.ibm.de\volume\*. *')
```

R.Bauer

File Attachments

1) [R.Bauer.vcf](#), downloaded 93 times
