
Subject: Re: Cannot save MPEG
Posted by [davidf](#) on Sat, 05 Feb 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Leonid Syrkin (lsyrkin@yahoo.com) writes:

```
> I opened a window just to see what I am putting into MPEG file.  
> The fragment could be:  
>  
> FOR j=0, 31 DO BEGIN  
>   READ_PICT,film,image  
>   MPEG_PUT, mpegID, IMAGE=image, FRAME=j  
> ENDFOR  
>  
> Does it make a difference?
```

I don't know. It would make a difference if your image was not exactly the size you declared in the MPEG_OPEN command. I was looking for reasons why you couldn't write the file. This was the only one that occurred to me that I thought might be plausible. :-)

Cheers,

David
--

David Fanning, Ph.D.
Fanning Software Consulting
Phone: 970-221-0438 E-Mail: davidf@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: Cannot save MPEG
Posted by [davidf](#) on Sat, 05 Feb 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Leonid Syrkin (lsyrkin@yahoo.com) writes:

```
> I am writing a very basic program for converting set of 32 PICT files  
> into a MPEG file:  
>  
> FOR j=0, 31 DO BEGIN  
>> READ_PICT,film,image  
> Window, XSize=256, YSize=270  
> tvscl, image  
> MPEG_PUT, mpegID, IMAGE=image, FRAME=j  
> ENDFOR
```

>
> What is wrong in my programm?

I'm guessing that what you meant to write was this:

```
MPEG_PUT, mpegID, WINDOW=!D.Window, FRAME=j
```

Otherwise, why open a window? :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: Cannot save MPEG
Posted by [lsyrkin](#) on Sun, 06 Feb 2000 08:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

David,

I opened a window just to see what I am putting into MPEG file.
The fragment could be:

```
FOR j=0, 31 DO BEGIN  
  READ_PICT,filnm,image  
  MPEG_PUT, mpegID, IMAGE=image, FRAME=j  
ENDFOR
```

Does it make a difference?

Thank you,
Leonid.

In article <MPG.13067e4c3500ca7a989a0d@news.frii.com>,
davidf@dfanning.com (David Fanning) wrote:

> Leonid Syrkin (lsyrkin@yahoo.com) writes:

>

>> I am writing a very basic program for converting set of 32 PICT
files

>> into a MPEG file:

>>

>> FOR j=0, 31 DO BEGIN

>>> READ_PICT,filnm,image

```
>> Window, XSize=256, YSize=270
>> tvscl, image
>> MPEG_PUT, mpegID, IMAGE=image, FRAME=j
>> ENDFOR
>>
>> What is wrong in my programm?
>
> I'm guessing that what you meant to write was this:
>
> MPEG_PUT, mpegID, WINDOW=!D.Window, FRAME=j
>
> Otherwise, why open a window? :-)
>
> Cheers,
>
> David
> --
> David Fanning, Ph.D.
> Fanning Software Consulting
> Phone: 970-221-0438 E-Mail: davidf@dfanning.com
> Coyote's Guide to IDL Programming: http://www.dfanning.com/
> Toll-Free IDL Book Orders: 1-888-461-0155
>
```

Sent via Deja.com <http://www.deja.com/>
Before you buy.
