Subject: Re: Cannot save MPEG

Posted by davidf on Sat, 05 Feb 2000 08:00:00 GMT

View Forum Message <> Reply to Message

Leonid Syrkin (lsyrkin@yahoo.com) writes:

- > I opened a window just to see what I am putting into MPEG file.
- > The fragment could be:

>

- > FOR j=0, 31 DO BEGIN
- > READ\_PICT,filnm,image
- > MPEG PUT, mpeqID, IMAGE=image, FRAME=i
- > ENDFOR

>

> Does it make a difference?

I don't know. It would make a difference if your image was not exactly the size you declared in the MPEG\_OPEN command. I was looking for reasons why you couldn't write the file. This was the only one that occurred to me that I thought might be plausible. :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: Cannot save MPEG

Posted by davidf on Sat, 05 Feb 2000 08:00:00 GMT

View Forum Message <> Reply to Message

Leonid Syrkin (lsyrkin@yahoo.com) writes:

- > I am writing a very basic program for converting set of 32 PICT files
- > into a MPEG file:

>

- > FOR j=0, 31 DO BEGIN
- >> READ\_PICT,filnm,image
- > Window, XSize=256, YSize=270
- > tvscl, image
- > MPEG\_PUT, mpegID, IMAGE=image, FRAME=j
- > ENDFOR

>

> What is wrong in my programm?

I'm guessing that what you meant to write was this:

MPEG\_PUT, mpegID, WINDOW=!D.Window, FRAME=j

Otherwise, why open a window? :-)

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: Cannot save MPEG Posted by Isyrkin on Sun, 06 Feb 2000 08:00:00 GMT

View Forum Message <> Reply to Message

David,

I opened a window just to see what I am putting into MPEG file. The fragment could be:

FOR j=0, 31 DO BEGIN READ\_PICT,filnm,image MPEG\_PUT, mpegID, IMAGE=image, FRAME=j ENDFOR

Does it make a difference?

Thank you,

Leonid.

In article <MPG.13067e4c3500ca7a989a0d@news.frii.com>, davidf@dfanning.com (David Fanning) wrote:

> Leonid Syrkin (lsyrkin@yahoo.com) writes:

>

>> I am writing a very basic program for converting set of 32 PICT files

>> into a MPEG file:

>>

>> FOR j=0, 31 DO BEGIN

>>> READ\_PICT,filnm,image

```
>> Window, XSize=256, YSize=270
>> tvscl, image
>> MPEG_PUT, mpegID, IMAGE=image, FRAME=i
>> ENDFOR
>>
>> What is wrong in my programm?
> I'm guessing that what you meant to write was this:
  MPEG_PUT, mpegID, WINDOW=!D.Window, FRAME=j
>
>
> Otherwise, why open a window? :-)
>
> Cheers,
> David
> David Fanning, Ph.D.
> Fanning Software Consulting
> Phone: 970-221-0438 E-Mail: davidf@dfanning.com
> Coyote's Guide to IDL Programming: http://www.dfanning.com/
> Toll-Free IDL Book Orders: 1-888-461-0155
>
```

Sent via Deja.com http://www.deja.com/ Before you buy.