Subject: Re: SPAWN and windows

Posted by davidf on Mon, 28 Feb 2000 08:00:00 GMT

View Forum Message <> Reply to Message

Martin Schultz (martin.schultz@dkrz.de) writes:

- I am almost ready to release my IDL webmaker tool in its first
- > version, but there
- > are still a few things I need to clean up. One thing that bothers me
- > currently is
- > how Windows behaves when I spawn a command: I need to create several
- > directopries and copy several files in webmaker, and for each spawned
- > command, WINdows opens a DOS Window, flashes the result of the executed
- > command at me and closes it again. Besides getting you close to crazy
- > watching it happen on the screen, it also seems to allocate quite a few
- > system resources which, apparently, are released only much later. Is
- > there a way to spawn simple DOS commands without opening a window? In an
- > earlier post I saw something like spawn, 'start cprogramname' -- would
- > this help?

No, nothing will help. Having a DOS window flash at you is a fact of life in the Windows world. The START command (on WindowsNT at least) allows you to spawn a process and return immediately to the IDL command line, without waiting for the process to exit.

> Thanks for any answer, win your EPA award!

I'm donating the award to Jim Hamell and his object widgets page. :-)

Cheers.

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: SPAWN and windows

Posted by Martin Schultz on Mon, 28 Feb 2000 08:00:00 GMT

View Forum Message <> Reply to Message

```
Udo Grabowski wrote:
> And of course, also an argument to receive the result:
>
> spawn, ['command'], /NOSHELL, result
nope: can't do either in windows. And having a shell in Unix is not too
bad for my
purposes -- it won't open a window but just log it's output on the
current terminal
window (using the command line version of IDL).
Thanks anyway,
Martin
[[ Dr. Martin Schultz Max-Planck-Institut fuer Meteorologie
\prod
             Bundesstr. 55, 20146 Hamburg
                                               \prod
             phone: +49 40 41173-308
\prod
                                             []
             fax: +49 40 41173-298
\prod
                                            [[
[[ martin.schultz@dkrz.de
                                            [[
```

Subject: Re: SPAWN and windows
Posted by Lldo Grahowski on Mon. 28 Feb

Posted by Udo Grabowski on Mon, 28 Feb 2000 08:00:00 GMT

View Forum Message <> Reply to Message

And of course, also an argument to receive the result:

spawn , ['command'], /NOSHELL, result

--

Dr. Udo Grabowski email: udo.grabowski@imk.fzk.de

Institut f. Meteorologie und Klimaforschung II, Forschungszentrum Karslruhe Postfach 3640, D-76021 Karlsruhe, Germany Tel: (+49) 7247 82-6026

http://www.fzk.de/imk/imk2/ame/grabowski/ Fax: " -6141

Subject: Re: SPAWN and windows

Posted by Udo Grabowski on Mon, 28 Feb 2000 08:00:00 GMT

View Forum Message <> Reply to Message

High!

We do it on Unix, but maybe on windows it also helps to add the /NOSHELL

switch.

--

Dr. Udo Grabowski email: udo.grabowski@imk.fzk.de Institut f. Meteorologie und Klimaforschung II, Forschungszentrum Karslruhe Postfach 3640, D-76021 Karlsruhe, Germany Tel: (+49) 7247 82-6026

http://www.fzk.de/imk/imk2/ame/grabowski/ Fax: " -6141