
Subject: Re: PS and Hershey fonts

Posted by [davidf](#) on Wed, 01 Mar 2000 08:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ka Chun Yu (kachun@bogart.Colorado.EDU) writes:

> I was wondering if there was a way to use PostScript and Hershey
> fonts together. I've been using PS fonts exclusively, but there are
> some symbols in the vector drawn fonts that are not available in
> the PS Symbol font. It seems that once you've set !p.font, you're
> stuck with that; is there any way to switch !p.font in the middle
> of a string definition, say something like:
>
> !p.font=0 ; set to PS fonts
> plot,...,title='PS font!9 Math Hershey Font!6PS font again'
>
> (I suspect that this might not be possible; I just want to make sure.)

Well, this is not possible the way you want to do it.
It *might* be possible, with a bit of care, to
hack something together with XYOutS. Here is an
example:

```
XYOutS, 0.25, 0.5, 'Flower ', Width=theWidth, /Normal, Font=0  
start = 0.25 + theWidth  
XYOutS, start, 0.5, '!9v!X', /Normal, Width=theWidth, Size=2  
start = start + theWidth + 0.005  
XYOutS, start, 0.5, 'Power ', /Normal, Font=0
```

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155
