Subject: JHU/APL IDL library update notice Posted by sterner on Thu, 30 Dec 1993 23:34:49 GMT

View Forum Message <> Reply to Message

JHU/APL IDL anonymous ftp site update notice The latest update was made on 1993 Dec 30.

fermi.jhuapl.edu IDL library ftp site description

Purpose of this ftp site

This ftp site contains several JHU/APL IDL libraries.

The library routines fall into the following broad categories: Text Files, Text strings, Date & time routines, Information, Plotting/Graphics, Imaging, Array processing, Math, Programming, Widget tools, Library maintenance and documentation, and Miscellanious.

Accessing the ftp site (Make sure you use ftp, not telnet)

ftp 128.244.147.18 (fermi is the site. It is an alias of nansen.jhuapl.edu)

For Name type: anonymous

For Password enter: your email address (ex: sterner@tesla.jhuapl.edu).

Change directory by typing: cd pub/idl

To get a file type: get filename

When finished type: bye.

Get the ascii file README (~5.5k byte) for a guide to this ftp site. You may also want to get the one line description file cat.one (~27kb).

What's New

There are a number of new routines that may be of interest. Widget tools have started to appear in this library. Some of the early ones are not as detached from the terminal screen as they could be, but the techniques are improving with time and old ones will eventially be updated. Here is a brief list of what's new since the last update.

Scrolling windows. These are very useful for dealing with images too large to fit the screen, especially if only one dimension is large. For example, I made a 200 by 10000 array and displayed it in a scrolling window of the same size. We now use scrolling windows a lot here.

try swindow,xs=200,ys=2000 & tvscl,makez(200,2000).

Do swindow, /help.

Time axis improved. Now provides better handling of month day tick marks by labeling more reasonable values. Try t=maken(0,40000,500) & y=makey(500) plot,t*200,y,xstyl=5,chars=1.2

timeaxis,jd=ymd2jd(1994,1,1),form='n\$ d\$',chars=1.2 Do timeaxis,/help.

Color bar routine. Do cbar, /help.

Better plot legends. An optional box has been added to the plot legend routine. Plot legends are rather complicated objects, but this routine has reasonable defaults for most values. It may be used to interactively position the legend. Do leg,/help (don't be concerned about all the options at first).

More colorful plots. Plots can be made much sharper looking with very little extra effort by using color. A routine has been made to remap the current color table to allow some reserved colors at the top of the table. An index of standard colors is returned to make it easy to select the desired ones. Do topcolors, /help.

Image zoom routine. Do izoom,/help.

Better timer routine. The timer routine has been upgraded to higher resolution. Do timer,/help.

Interactive Pan and Zoom. Try tvscl,makez(200,200) & pan & zpan. Do pan, /help. zpan, /help.

Widgets. A number of interesting widget tools have been added.

Histogram based image scaling: xhistpick. Try

z=makez(200,200) & h=hist(z,x) & xhistpick,x,h,image=z,/on Do xhistpick,/help.

Easy to use measuring cursor: xcursor. Try xcursor. Do xcursor,/help.

Simple message widget: xmess. Try xmess, 'Test'. Do xmess, 'help.

Help widget: xhelp. Try xhelp, 'Do not feed the '+animals(). Do xhelp, /help.

Date entry widget: xdate. Try xdate. Do xdate,/help.

Edit a single color table entry: ced1. Try plot,[0,10] & ced1,!d.color,/hsv.

Edit or build a color table: ctool. Try loadct,4 & ctool

Move the Index selector slider around. Try other sliders.

Equation viewer: eqv. Try eqv. Move sliders. Add sin(5*x)+1 to end of equation. Read the help. Avoid the Fit button, it's not done yet.

The hardcopy button works if you have psinit set up correctly.

Ray Sterner ste Johns Hopkins University Applied Physics Laboratory Laurel, MD 20723-6099

sterner@tesla.jhuapl.edu
North latitude 39.16 degrees.

West longitude 76.90 degrees.