
Subject: Re: Efficient IDL programming (use outer product)

Posted by [thompson](#) on Mon, 06 Dec 1993 22:57:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

chase@aphill.jhuapl.edu (Chris Chase S1A) writes:

> IDL Comments/musing/wishful thinking:

> I would like to see two `APL'-like operators in IDL for dealing with

> vectors and matrices:

> 1) outer products - using a given binary operator.

> 2) reduction - apply a scalar valued function along one dimension of

> an array (works like TOTAL function when using the dimension

> parameter). For example, return the maximum of each row of a

> matrix.

It seems to me that item 2 above could be best accomplished by taking the DIMENSION keyword recently added to TOTAL, and extending it to the MAX and MIN functions. I, for one, think that would be useful.

Bill Thompson

Subject: Re: Efficient IDL programming (use outer product)

Posted by [ryba](#) on Tue, 07 Dec 1993 15:11:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

In article <thompson.755218658@serts.gsfc.nasa.gov>, thompson@serts.gsfc.nasa.gov (William Thompson) writes:

|> chase@aphill.jhuapl.edu (Chris Chase S1A) writes:

|> >IDL Comments/musing/wishful thinking:

|> >2) reduction - apply a scalar valued function along one dimension of

|> > an array (works like TOTAL function when using the dimension

|> > parameter). For example, return the maximum of each row of a

|> > matrix.

|> It seems to me that item 2 above could be best accomplished by taking the

|> DIMENSION keyword recently added to TOTAL, and extending it to the MAX

|> and MIN functions. I, for one, think that would be useful.

|> Bill Thompson

Hear, hear. One of the few times I'm still forced to use FOR loops is in peak finding - finding the maximum of each array in arrays of structures containing arrays.

--

Dr. Marty Ryba
MIT Lincoln Laboratory
ryba@ll.mit.edu

| Generation X:
| Too young to be cynical,
| too old to be optimistic.

Of course nothing I say here is official policy, and Laboratory affiliation is for identification purposes only, blah, blah, blah....
