
Subject: Re: Minimize windows !

Posted by [davidf](#) on Thu, 31 Aug 2000 15:40:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Mathias (Mathias.Vieweg@dlr.de) writes:

> How can i minimize the IDL development environment from the execute program
> so that the user not see what happend ?

Maybe the user *wants* to see what has happened. Have
you given that any thought? :-)

If you don't want the user to see anything, I'd consider
running your program as a run-time program. Then the user
can't even *beg* to see what has happened. They are completely
at your mercy.

Cheers,

David

--

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: Minimize windows !

Posted by [promashkin](#) on Thu, 31 Aug 2000 15:44:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

Gee, I never thought of that. I'd like to see the answer too. I have
never yet been ashamed of anything my code prints out but if I had this
ability then all those dozens of Heap_gc, /ver would be fully acceptable
for the "production code" - right, David? :-)

Cheers,

Pavel

Mathias wrote:

>
> How can i minimize the IDL development environment from the execute program
> so that the user not see what happend ?
>
> Thxs
> Mathias

Subject: Re: Minimize windows !
Posted by [R.Bauer](#) on Fri, 01 Sep 2000 08:09:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Mathias wrote:

>
> How can i minimize the IDL development environment from the execute program
> so that the user not see what happend ?
>
> Thxs
> Mathias

I believe this was not quite the best question for what you like to want.

You may like to have an runtime application. Then you don't have the developer environment system.

Try,

```
.r program  
resolve_all
```

```
save,file='proram.sav',/routines,/compress
```

Then double click the program.sav file.

That's all.

Reimar
