
Subject: Re: writing templates (from ASCII_TEMPLATE)
Posted by [Ben Tupper](#) on Tue, 19 Sep 2000 07:00:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

A simple method is to use the SAVE procedure. SAVE, mytemplate, File = PathInfo+'mytemplate.tpl'

Later you can restore the template. RESTORE, PathInfo + 'mytemplate.tpl'

It helps to name the SAVED file with the name of the template structure. When it is RESTORED, the structure is read into the variable name it was SAVED with. (Much like living in FlatLand with 3d creatures popping in and out!) I believe that SAVED data (such as the template structure) can be read by any IDL platform and version but SAVED code cannot.

Ben

Jean-Marc nicolas wrote:

> Hello, all,
>
> How can I store an ascii file template (output from ASCII_TEMPLATE)
> without any considerations about the structure definition ?
>
> Thank you,
>
> JM
>
> --
> -----
> Jean-Marc NICOLAS
>
> Laboratoire d'Optique Atmospherique
> Universite des Sciences et Technologies de Lille
> Batiment P5
> 59655 VILLENEUVE D'ASCQ
> FRANCE
>
> Tel : (33) 03 20 43 67 08
> Fax : (33) 03 20 43 43 42
> email : nicolas@loa.univ-lille1.fr
> -----

--

Ben Tupper
Bigelow Laboratory for Ocean Science
West Boothbay Harbor, Maine
btupper@bigelow.org
