
Subject: AUTOMATIC CURSOR
Posted by [fskmjm](#) on Thu, 17 Feb 1994 10:36:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

How does one get the cursor in a text widget to jump to the next input field when pressing CR?

```
-----  
|      MIKE MATHEWS      |  
| fskmjm@puknet.puk.ac.za |  
|                          |  
| ANTARCTIC RESEARCH GROUP |  
| PHYSICS DEPT             |  
| POTCHEFSTROOM UNIVERSITY |  
| SOUTH AFRICA             |  
|                          |  
| Phone: +27 (148) 992419  |  
| Fax : +27 (148) 992421  |  
|                          |  
-----
```

Subject: Re: AUTOMATIC CURSOR
Posted by [knipp](#) on Mon, 21 Feb 1994 14:12:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article 29@puknet.puk.ac.za, fskmjm@puknet.puk.ac.za (Mathews, MJ) writes:

> How does one get the cursor in a text widget to jump to the next input field
> when pressing CR?

>
> -----
> | MIKE MATHEWS |
> | fskmjm@puknet.puk.ac.za |
>
...

I did the following:

NAME = TAG_NAMES (EVENT, /STRUCTURE_NAME)

CASE NAME OF

```
"WIDGET_TEXT": BEGIN  
  POS = WHERE ( T_EV EQ EVENT.ID )  
  POS = (POS(0) + 1) < (N_LIST-1L)  
  WIDGET_CONTROL, T_EV(POS), /INPUT_FOCUS  
END  
ENDCASE
```

where T_EV is a long-array with the events according to the different TEXT_WIDGETS.

Karl

///_\\// Karlheinz Knipp phone: +49 511 - 762 4922
///_/// University of Hannover fax: +49 511 - 762 2483
//_// Institute for Photogrammetry
///_// Nienburger Str.1
/_//_/_/ FRG 30167 Hannover 1 email: knipp@ipi.uni-hannover.de
