Subject: Re: IDL listbox

Posted by Rick Towler on Fri, 16 Feb 2001 04:07:07 GMT

View Forum Message <> Reply to Message

Maybe I am not understanding you. You just want to get the selected items from a listbox?

say you have a list widget "info.wFilesList"

Keep a pointer to a string array of items contained in that list (they must be in order from top to bottom). I use a pointer because I need to dynamically resize the array, you might be able to get away with just an array.

I can then poll widget\_info while setting /list\_select for the currently selected items in my list. This will "return the index or indices of the currently-selected (highlighted) element or elements in the specified list widget. Note that this offset is zero-based. If no element is currently selected, -1 is returned."

selected = widget\_info(info.wFilesList, /list\_select)

You can then use the indices to subscript your array of items.

One would think that you could get a string array of either the selected items or all items contained in a widget\_list but as far as I can tell you only can get the indices. If anyone knows how to do this, please speak up!

Hope this helps.

-Rick Towler

"Stuart Norton" <stuart@isis.ucolick.org> wrote in message news:Pine.GSO.4.03.10102151649520.125-100000@isis.ucolick.or g...

Sorry if this is an obvious one, but I've been trying for too long now...

- > How do you get a list of all selected items from a widget listbox? I have
- > a listbox which I want to handle multiple selections. I was originally
- > going to use the event handler: just toggle the settings of each item
- > which was clicked... but (at least in Unix) when you single click without
- > holding shift or control, all previous selections in a listbox are
- > de-selected. I don't know how to keep track of which items are
- > de-selected like this. (There doesn't seem to be an event for that.)

>

```
> Another possibility was the OnSelectValue parameter to widget_listbox; I
> created a procedure to remember if any given item was selected, but
> again I have the problem that de-selection is not handled.
>
> There ought to be an easy way, say from widget_control, to return an array
> of indices which are selected at the moment, or something like that. Why
> can't I find such a thing??
>
> Thanks in advance,
> Stuart
                  Stuart Norton
                 stuart@ucolick.org
> --- Astronomy & Astrophysics - University of California
> --- Santa Cruz, CA 95064
 --- (831) 459-4362
```

Subject: Re: IDL listbox Posted by Martin Schultz on Fri, 16 Feb 2001 11:13:09 GMT View Forum Message <> Reply to Message

## Rick Towler wrote:

> > Maybe I am not understanding you. You just want to get the selected items > from a listbox? say you have a list widget "info.wFilesList" > > > Keep a pointer to a string array of items contained in that list (they must > be in order from top to bottom). I use a pointer because I need to > dynamically resize the array, you might be able to get away with just an > array. > > I can then poll widget\_info while setting /list\_select for the currently > selected items in my list. This will "return the index or indices of the > currently-selected (highlighted) element or elements in the specified list > widget. Note that this offset is zero-based. If no element is currently > selected, -1 is returned." > selected = widget\_info(info.wFilesList, /list\_select) > You can then use the indices to subscript your array of items.

> One would think that you could get a string array of either the selected

```
> items or all items contained in a widget_list but as far as I can tell you
  only can get the indices. If anyone knows how to do this, please speak up!
>
 Hope this helps.
>
 -Rick Towler
>
  "Stuart Norton" <stuart@isis.ucolick.org> wrote in message
   news:Pine.GSO.4.03.10102151649520.125-100000@isis.ucolick.or g...
>>
   Sorry if this is an obvious one, but I've been trying for too long now...
>>
>>
>> How do you get a list of all selected items from a widget_listbox? I have
>> a listbox which I want to handle multiple selections. I was originally
>> going to use the event handler: just toggle the settings of each item
>> which was clicked... but (at least in Unix) when you single click without
>> holding shift or control, all previous selections in a listbox are
>> de-selected. I don't know how to keep track of which items are
>> de-selected like this. (There doesn't seem to be an event for that.)
>>
>> Another possibility was the OnSelectValue parameter to widget listbox; I
>> created a procedure to remember if any given item was selected, but
>> again I have the problem that de-selection is not handled.
>>
>> There ought to be an easy way, say from widget_control, to return an array
>> of indices which are selected at the moment, or something like that. Why
>> can't I find such a thing??
>> Thanks in advance,
>> Stuart
                   Stuart Norton
>> ---
                  stuart@ucolick.org
>> --- Astronomy & Astrophysics - University of California
>> --- Santa Cruz, CA 95064
>> --- (831) 459-4362
>>
```

... as David seems to be out of reach, let me take this and advise you to buy his excellent book! The main idea is to use the widget UValue to store that string list in what David calls an "info structure". The UValue can then be retrieved with WIDGET\_CONTROL (o rwas it WIDGET\_INFO?) in your event handling routine, and you can then access the selected items the way Stuart mentions. But, please, never use an array fo rthese strings; you almost certainly will have to change that size somewhere, and you are guaranteed to get into trouble if you

don't start using pointers right away. And they are really not that hard to use (there were some discussions on them last year on this newsgroup, maybe you can browse www.deja.com to find them).

Best regards,

```
Martin
```