
Subject: how do I keep IDL quiet?

Posted by [Jason Li](#) on Tue, 27 Mar 2001 17:13:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have an IDL routine "myMain" that calls upon many subroutine. Each time I run myMain, it reports "compiled module ..." message for each subroutine it has successfully compiled.

I am now running myMain repeatedly from an UNIX script and don't wish to see these messages. How do I make IDL quiet?

thanks

Subject: Re: how do I keep IDL quiet?

Posted by [R.Bauer](#) on Wed, 28 Mar 2001 09:21:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Jason Li wrote:

>

> Hi,

>

> I have an IDL routine "myMain" that calls upon many subroutine. Each time I
> run myMain, it reports "compiled module ..." message for each subroutine it
> has successfully compiled.

>

> I am now running myMain repeatedly from an UNIX script and don't wish to see
> these messages. How do I make IDL quiet?

>

> thanks

Try

```
.compile myMain  
resolve_routine,/all  
save,file='myMain.sav',/routines
```

```
.run myMain
```

or better

```
idl -rt=myMain.sav
```

regards

Reimar

--

Reimar Bauer

Institut fuer Stratosphaerische Chemie (ICG-1)

Forschungszentrum Juelich

email: R.Bauer@fz-juelich.de

<http://www.fz-juelich.de/icg/icg1/>

=====

a IDL library at Forschungszentrum Juelich

http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.html

<http://www.fz-juelich.de/zb/text/publikation/juel3786.html>

Subject: Re: how do I keep IDL quiet?

Posted by [Jeremy Faden](#) on Wed, 28 Mar 2001 13:39:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

You can also set !quiet=1 in your startup script.

Jeremy Faden
Cottage Systems

Jason Li wrote:

>

> Hi,

>

> I have an IDL routine "myMain" that calls upon many subroutine. Each time I
> run myMain, it reports "compiled module ..." message for each subroutine it
> has successfully compiled.

>

> I am now running myMain repeatedly from an UNIX script and don't wish to see
> these messages. How do I make IDL quiet?

>

> thanks

Subject: Re: how do I keep IDL quiet?

Posted by [Paul van Delst](#) on Wed, 28 Mar 2001 17:09:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Jeremy Faden wrote:

>

> You can also set !quiet=1 in your startup script.

Or quit using .new to recompile when changes are made.... ?

```
>
> Jason Li wrote:
>>
>> Hi,
>>
>> I have an IDL routine "myMain" that calls upon many subroutine. Each time I
>> run myMain, it reports "compiled module ..." message for each subroutine it
>> has successfully compiled.
>>
>> I am now running myMain repeatedly from an UNIX script and don't wish to see
>> these messages. How do I make IDL quiet?
>>
>> thanks
```

```
--
Paul van Delst      A little learning is a dangerous thing;
CIMSS @ NOAA/NCEP   Drink deep, or taste not the Pierian spring;
Ph: (301)763-8000 x7274 There shallow draughts intoxicate the brain,
Fax:(301)763-8545    And drinking largely sobers us again.
paul.vandelst@noaa.gov      Alexander Pope.
```
