Subject: Header File *.h?
Posted by Dominik[1] on Thu, 05 Apr 2001 09:19:08 GMT
View Forum Message <> Reply to Message

Helle there,

another question from me (its because I am new to IDL and have to use some code frome sobody else). I never find a header file (*.h) while using IDL. But the source I have to use is using a header file, that means there is a header file *.h with some structure declerations. But IDL ignore it. Does somebody know, how to use such a header file?

Thanks

Dominik

Subject: Re: Header File *.h?
Posted by Craig Markwardt on Thu, 05 Apr 2001 19:09:52 GMT
View Forum Message <> Reply to Message

"Dominik" <dpaul@ukl.uni-freiburg.de> writes:

- > Is there also a possibility to save system variables, so IDL automaticly
- > knows them?

>

You could do one of these:

- * set the variables in your IDL startup file. This file is a script that runs in each IDL session. See the manual.
- * "SAVE, /SYSTEM" might do the trick but the hitch is that it saves *all* the system variables.

Dominik, you have a lot of questions. Maybe you could pause for a breath sometime? :-)

Craig

-Craig B. Markwardt, Ph.D. EMAIL: craigmnet@cow.physics.wisc.edu
Astrophysics, IDL, Finance, Derivatives | Remove "net" for better response

Subject: Re: Header File *.h?

Posted by davidf on Thu, 05 Apr 2001 20:59:58 GMT

View Forum Message <> Reply to Message

Craig Markwardt (craigmnet@cow.physics.wisc.edu) writes:

- > Dominik, you have a lot of questions. Maybe you could pause for a
- > breath sometime? :-)

You know how it is, when you find a newsgroup that is helpful *and* funny. :-)

Cheers,

David

David Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438 E-Mail: davidf@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155