
Subject: Re: END statement

Posted by [Liam E. Gumley](#) on Mon, 21 May 2001 14:38:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Reimar Bauer wrote:

> I believe there were some changes to the END statement done.

>

> idl < input > text.out

>

> where input is a shell script like

>

> .run test

> test

>

> and test is a script like

>

> pro test

> for i=0, 1800 do print,i

> print,'hallo'

> end

I normally use

% idl input > text.out

and it behaves the way I expect it to.

Cheers,

Liam.

<http://cimss.ssec.wisc.edu/~gumley/>

Subject: Re: END statement

Posted by [thompson](#) on Mon, 21 May 2001 14:48:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Reimar:

Yes, that's a bug in IDL 5.4. (And a real pain too, for those of us who submit IDL jobs to batch.) Supposedly it'll be fixed in the next release.

William Thompson

Reimar Bauer <r.bauer@fz-juelich.de> writes:

> Hi,

> I believe there were some changes to the END statement done.

> idl < input > text.out

> where input is a shell script like

> .run test

> test

> and test is a script like

> pro test

> for i=0, 1800 do print,i

> print,'hallo'

> end

> In prior versions like idl 5.3 all printed text was

> saved to text.out.

> Now there are a lot of text is missing.

> If you change the 1800 to 300 the text.out file

> is empty.

> If we set a flush before the end (flush,-1) we got

> all print statements into the file.

> I believe in idl5.3 there was a flush implemented

> to the end statement.

> Reimar

> --

> Reimar Bauer

> Institut fuer Stratosphaerische Chemie (ICG-1)

> Forschungszentrum Juelich

> email: R.Bauer@fz-juelich.de

> http://www.fz-juelich.de/icg/icg1/

> =====

> a IDL library at Forschungszentrum Juelich

> http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h tml

> <http://www.fz-juelich.de/zb/text/publikation/juel3786.html>

> =====

> read something about linux / windows

> <http://www.suse.de/de/news/hotnews/MS.html>
