Subject: Re: Build command *.sav file Posted by Pavel A. Romashkin on Wed, 26 Sep 2001 14:59:24 GMT View Forum Message <> Reply to Message

Does your code use objects? Have you tried RESOLVE_ALL then SAVE, /ROUTINES? Does that fail, too?

L E Olsson wrote:

>

- > I have an IDL program that I want to build a *.sav file from.
- > The program consists of several files and subroutines.
- > When I try to use the created *.sav file it starts, but
- > the program does not work at all, as it does when I
- > run it from the IDL prompt. I have tried to change the
- > Build Order, but it did not help or I am not just not
- > doing the right changes.
- > Any suggestions?

>

> _____

> Lars E. Olsson, PhD

Subject: Re: Build command *.sav file Posted by David Fanning on Wed, 26 Sep 2001 15:27:20 GMT View Forum Message <> Reply to Message

L E Olsson (le.olsson@rfa.mas.lu.se) writes:

- > I have an IDL program that I want to build a *.sav file from.
- > The program consists of several files and subroutines.
- > When I try to use the created *.sav file it starts, but
- > the program does not work at all, as it does when I
- > run it from the IDL prompt. I have tried to change the
- > Build Order, but it did not help or I am not just not
- > doing the right changes.
- > Any suggestions?

Here is an article that describes how to create an IDL run-time application on a Windows machine. It might have some clues for you.

http://www.dfanning.com/tips/idl_icon.html

Cheers,

David

--

David W. Fanning, Ph.D. Fanning Software Consulting

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Toll-Free IDL Book Orders: 1-888-461-0155