
Subject: FFT issues

Posted by [Logan Lindquist](#) on Fri, 02 Nov 2001 19:18:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=Content-Type content="text/html; charset=iso-8859-1">
<META content="MSHTML 6.00.2600.0" name=GENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=#ffffff>
<DIV><FONT face=Arial size=2>In everyone's opinion is it easier to drop a RGB
image&nbsp;down to grayscale and fft it, or separate the color channels, fft
each of them and then recombine them in someway&gt;?. Right now I just
want&nbsp;a visual representation of the fft data [RGB and grayscale], because
I&nbsp;am not using it for calculations. I guess it depends on if there is any
useful information on the color channels. With regards to&nbsp;my application
[not the actual software but the project] I am not sure. There might be. I was
also thinking of creating a three display windows&nbsp;of the color channel
fft's. I would add this later. </FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>Am I thinking of the fft's correctly? This is why I
am getting an out of bounds error on my color images? Will the fft function
process more than one color channel or do I have to separate them
out?</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>Thank YOU!,</FONT></DIV>
<DIV><FONT face=Arial size=2>Logan Lindquist</FONT></DIV></BODY></HTML>
```

Subject: Re: FFT issues

Posted by [Logan Lindquist](#) on Tue, 06 Nov 2001 18:12:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=Content-Type content="text/html; charset=iso-8859-1">
<META content="MSHTML 6.00.2600.0" name=GENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=#ffffff>
<DIV><FONT face=Arial size=2>Nevermind to all of those who skimmed over my
article and didn't reply&nbsp;;) </FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>Please read my current problem ! </FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>thank you , thank you , thank you</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
```

<DIV> </DIV>
<BLOCKQUOTE dir=ltr
style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; BORDER-LEFT:
#000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Logan Lindquist" <llindqisit@mrdoc.cc> wrote in message
 news:9rurkp\$psm\$1@sulawesi-fi.lerc.nas
 a.gov...</DIV>
 <DIV>In everyone's opinion is it easier to drop a RGB
 image &down to grayscale and fft it, or separate the color channels, fft
 each of them and then recombine them in someway>?. Right now I just
 want &a visual representation of the fft data [RGB and grayscale], because
 I &am not using it for calculations. I guess it depends on if there is any
 useful information on the color channels. With regards to &my application
 [not the actual software but the project] I am not sure. There might be. I was
 also thinking of creating a three display windows &of the color channel
 fft's. I would add this later. </DIV>
 <DIV> &</DIV>
 <DIV>Am I thinking of the fft's correctly? This is why
 I am getting an out of bounds error on my color images? Will the fft function
 process more than one color channel or do I have to separate them
 out?</DIV>
 <DIV> &</DIV>
 <DIV>Thank YOU!,</DIV>
 <DIV>Logan
 Lindquist</DIV></BLOCKQUOTE></BODY></HTML>
