
Subject: Two Images in One Window - Like oplot or /NOERASE

Posted by [Emmler, Oliver](#) on Thu, 01 Nov 2001 14:24:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I produce two images in IDL

a) Reference

b) ROI of Reference

Now i want to draw first the reference image an then plot the roi with another colortable like it is possible for plots with oplot or the keyword /noerase. Is there any possibility to do so ?

Regards

Oliver

--

Oliver Emmler

University of Heidelberg

Departement of Radiology

Phone: +49-6221-7963059 E-Mail: Oliver.Emmler@med.uni-heidelberg.de

Subject: Re: Two Images in One Window - Like oplot or /NOERASE

Posted by [David Fanning](#) on Wed, 23 Jan 2002 14:56:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

Paul Joe (paul.joe@ec.gc.ca) writes:

> the problem with 24 bit displays is if you want to create a 8bit gif image with
> 256 shades in each image.

I'm not sure I understand what the problem is here.

Color_Quan seems to do this perfectly with the COLORS keyword set to 256.

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155
