
Subject: qt + idl
Posted by [R.Bauer](#) on Tue, 26 Feb 2002 17:01:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Is it possible to develop with QT a widget
which could be called by dlm or call external?

Reimar

--
Reimar Bauer

Institut fuer Stratosphaerische Chemie (ICG-1)
Forschungszentrum Juelich
email: R.Bauer@fz-juelich.de
<http://www.fz-juelich.de/icg/icg1/>

=====

a IDL library at ForschungsZentrum Juelich
[http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h tml](http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.html)

<http://www.fz-juelich.de/zb/text/publikation/juel3786.html>
=====

Subject: Re: qt + idl
Posted by [Rick Towler](#) on Wed, 27 Feb 2002 17:53:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

pardon my ignorance but by qt do you mean quick time?

-Rick

"Reimar Bauer" <r.bauer@fz-juelich.de> wrote in message
news:3C7BBF5A.7010BF84@fz-juelich.de...

>
> Is it possible to develop with QT a widget
> which could be called by dlm or call external?
>
> Reimar
>
>
> --
> Reimar Bauer
>
> Institut fuer Stratosphaerische Chemie (ICG-1)
> Forschungszentrum Juelich

> email: R.Bauer@fz-juelich.de
> <http://www.fz-juelich.de/icg/icg1/>
> =====
> a IDL library at ForschungsZentrum Juelich
> http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h tml
>
> <http://www.fz-juelich.de/zb/text/publikation/juel3786.html>
> =====

Subject: Re: qt + idl
Posted by nobody@nowhere.com (S on Wed, 27 Feb 2002 20:32:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Wed, 27 Feb 2002 09:53:58 -0800, Rick Towler <rtowler@u.washington.edu>
wrote:

> pardon my ignorance but by qt do you mean quick time?
>
> -Rick
>
>

I'd guess he's talking about Qt, which is a toolkit for building GUI's for X11,
written in C++ . But I don't know the answer to his question :(, I don't see
why not in principle, but I've never used these in IDL (call external, etc..).

> "Reimar Bauer" <r.bauer@fz-juelich.de> wrote in message
> news:3C7BBF5A.7010BF84@fz-juelich.de...
>>
>> Is it possible to develop with QT a widget
>> which could be called by dlm or call external?
>>
>> Reimar
>>
>>
>> --
>> Reimar Bauer
>>
>> Institut fuer Stratosphaerische Chemie (ICG-1)
>> Forschungszentrum Juelich
>> email: R.Bauer@fz-juelich.de
>> <http://www.fz-juelich.de/icg/icg1/>
>> =====
>> a IDL library at ForschungsZentrum Juelich
>> http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h tml
>>
>> <http://www.fz-juelich.de/zb/text/publikation/juel3786.html>
>> =====

>
>

--

Steve S.

steve@NOSPAMmailaps.org
remove NOSPAM before replying

Subject: Re: qt + idl
Posted by nobody@nowhere.com (S on Wed, 27 Feb 2002 20:34:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Wed, 27 Feb 2002 20:32:11 -0000, Steve Smith<steven_smith>
<nobody@nowhere.com> wrote:
> On Wed, 27 Feb 2002 09:53:58 -0800, Rick Towler
<rtowler@u.washington.edu>
> wrote:
>> pardon my ignorance but by qt do you mean quick time?
>>
>> -Rick
>>
>>
>
> I'd guess he's talking about Qt, which is a toolkit for building GUI's for X11,
> written in C++ . But I don't know the answer to his question :(, I don't see
> why not in principle, but I've never used these in IDL (call external, etc..).
>

Oh, it's also available for Windows, I think Macintosh as well.

>> "Reimar Bauer" <r.bauer@fz-juelich.de> wrote in message
>> news:3C7BBF5A.7010BF84@fz-juelich.de...
>>>
>>> Is it possible to develop with QT a widget
>>> which could be called by dlm or call external?
>>>
>>> Reimar
>>>
>>>
>>> --
>>> Reimar Bauer
>>>
>>> Institut fuer Stratosphaerische Chemie (ICG-1)
>>> Forschungszentrum Juelich
>>> email: R.Bauer@fz-juelich.de

```
>>> http://www.fz-juelich.de/icg/icg1/
>>> =====
>>> a IDL library at ForschungsZentrum Juelich
>>> http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h tml
>>>
>>> http://www.fz-juelich.de/zb/text/publikation/juel3786.html
>>> =====
>>
>>
>
>
> --
> Steve S.
>
> steve@NOSPAMmailaps.org
> remove NOSPAM before replying
```

--
Steve S.

steve@NOSPAMmailaps.org
remove NOSPAM before replying

Subject: Re: qt + idl
Posted by [Rick Towler](#) on Wed, 27 Feb 2002 20:55:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ahhh, isn't that the toolkit by trolltech that KDE uses?

I would suspect that you would be able to do this, but I wonder about window manager focus issues.

-Rick

"Steve Smith<steven_smith>" <nobody@nowhere.com> wrote in message
news:slrna7qgke.1co.nobody@pooh.nrel.gov...

> On Wed, 27 Feb 2002 20:32:11 -0000, Steve Smith<steven_smith>

> <nobody@nowhere.com> wrote:

>> On Wed, 27 Feb 2002 09:53:58 -0800, Rick Towler

> <rtowler@u.washington.edu>

>> wrote:

>>> pardon my ignorance but by qt do you mean quick time?

>>>

>>> -Rick

>>>

>>>

```

>>
>> I'd guess he's talking about Qt, which is a toolkit for building GUI's
for X11,
>> written in C++ . But I don't know the answer to his question :(, I don't
see
>> why not in principle, but I've never used these in IDL (call external,
etc..).
>>
>
> Oh, it's also available for Windows, I think Macintosh as well.
>
>>> "Reimar Bauer" <r.bauer@fz-juelich.de> wrote in message
>>> news:3C7BBF5A.7010BF84@fz-juelich.de...
>>>>
>>>> Is it possible to develop with QT a widget
>>>> which could be called by dlm or call external?
>>>>
>>>> Reimar
>>>>
>>>>
>>>> --
>>>> Reimar Bauer
>>>>
>>>> Institut fuer Stratosphaerische Chemie (ICG-1)
>>>> Forschungszentrum Juelich
>>>> email: R.Bauer@fz-juelich.de
>>>> http://www.fz-juelich.de/icg/icg1/
>>>> =====
>>>> a IDL library at ForschungsZentrum Juelich
>>>> http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h tml
>>>>
>>>> http://www.fz-juelich.de/zb/text/publikation/juel3786.html
>>>> =====
>>>
>>>
>>
>>
>> --
>> Steve S.
>>
>> steve@NOSPAMmailaps.org
>> remove NOSPAM before replying
>
>
> --
> Steve S.
>
> steve@NOSPAMmailaps.org

```

> remove NOSPAM before replying

Subject: Re: qt + idl

Posted by [Dominik\[1\]](#) on Thu, 28 Feb 2002 07:22:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

I also think that it should not be a problem. I used qt some time ago, but not together with IDL. At the moment I sue IDL calling a DLL, which is using OpenGL. This works fine.

Dom

"Reimar Bauer" <r.bauer@fz-juelich.de> schrieb im Newsbeitrag news:3C7BBF5A.7010BF84@fz-juelich.de...

>

> Is it possible to develop with QT a widget

> which could be called by dlm or call external?

>

> Reimar

>

>

> --

> Reimar Bauer

>

> Institut fuer Stratosphaerische Chemie (ICG-1)

> Forschungszentrum Juelich

> email: R.Bauer@fz-juelich.de

> <http://www.fz-juelich.de/icg/icg1/>

> =====

> a IDL library at ForschungsZentrum Juelich

> http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.html

>

> <http://www.fz-juelich.de/zb/text/publikation/juel3786.html>

> =====
