## Subject: Installing IDL 5.3 under Windows Posted by Alex Schuster on Thu, 11 Apr 2002 15:58:37 GMT View Forum Message <> Reply to Message

I am often installing IDL on our Windows machines, because they are being re-installed all the time. Sometimes it just works, sometimes I have problems to change preferences a a normal user. I get the message 'Preferences are currently being shared and you do not have rights to change them. If ypu need to blah blah, contact your sysadmin bla blah, or give "Set value" access to the registry key:

"HKEY\_LOCAL\_MACHINE/Software/Research Systems, Inc." and all its subkeys.'

Well, I don't know how to do this, I can find it in regedit.exe, but no idea how to give set value access. And I wonder why I have to do this sometimes, and why it works the other day.

Am I the only one facing this problem?

Additionally, I currently get the messages "Access denied" and "Configuration file is corrupted" twice directly after IDL is installed. I also had this before, but ti did not seem to matter, and was gone after I re-installed IDL again.

There are rumors that it helps to install it to C:\RSI instead of C:\Program Files\RSI, or that you should not install it being logged in as administrator, but via shift-right-mouse-button and 'Execute as...', but I tried that and it does not seem to matter.

Going home now after four unsuccessful installs,

Alex

--

Alex Schuster Wonko@netcologne.de alex@pet.mpin-koeln.mpg.de

Subject: Re: Installing IDL 5.3 under Windows Posted by Rick Towler on Thu, 11 Apr 2002 23:54:14 GMT View Forum Message <> Reply to Message

In general, you should install software as an administrator on NT based systems. It is also good practice to run the program once as admin but I'm sure there are packages where this isn't the rule. I don't know about 5.3, but I seem to remember IDL asking me if I want to share preferences between users. Can you just say "No" to this question?

- > If you need to blah blah, contact your sysadmin bla blah,
- > or give "Set value" access to the registry key:

> "HKEY\_LOCAL\_MACHINE/Software/Research Systems, Inc." and all its > subkeys.'

To set the permissions on reg keys you need to log in as admin and run "regedt32.exe" (note the missing "i"). Find the key you need to change, and then select "Permissions..." from the "Security" menu. You then set permissions as you would for files or shares. At least on win2k...

- > There are rumors that it helps to install it to C:\RSI instead of
- > C:\Program Files\RSI, or that you should not install it being logged in
- > as administrator, but via shift-right-mouse-button and 'Execute as...',
- > but I tried that and it does not seem to matter.

I think these are just rumors. I have always installed in C:\Program Files\ and haven't seen these problems.

If you are re-installing so much, maybe you should create a golden copy of your installs and use that to restore them in the future?

-Rick

Subject: Re: installing IDL

Posted by Tapuosi Lotoaniu on Sat, 14 Jun 2003 01:38:26 GMT

View Forum Message <> Reply to Message

Log in as root. Goto where file is located and type

gunzip idl\_linux.x86.tar.gz

this will unzip your file. Then

tar -xvf idl\_linux.x86.tar

What happens next depends on whether the file is the install binary or source codes. If the former then the above command will untar most likely just one file locally to the directory where idl\_linux.x86.tar is located. In that case type the name of the untar file at the prompt. You may have to type ./ before the file name. If however its the source codes then above command will create a linux directory and untar the files into it. In this case go to this directory and read all readme, install and config files on how to compile and install the IDL source files.

## On 13 Jun 2003, Steve wrote:

- > dear all,
- > I have just downloaded IDL for my linux os, and I would like to
- > install it (I have root access).
- > I am new to linux and IDL :-(
- > The file is idl\_linux.x86.tar.gz and it is in my /home/steve
- > Is there any one so kind to drive me ste by step in installation
- > procedure?
- > Thank a lot, cheers!

>

Subject: Re: installing IDL

Posted by R.Bauer on Sat, 14 Jun 2003 05:39:06 GMT

View Forum Message <> Reply to Message

## Tapuosi Lotoaniu wrote:

> Log in as root. Goto where file is located and type

> gunzip idl\_linux.x86.tar.gz

> this will unzip your file. Then

> tar -xvf idl linux.x86.tar

All right but if you do tar zxvf idl\_linux.x86.tar.gz both commands are combined in one.

(tar is explained best by info tar at the linux prompt. If you use KDE you could also try to get help by ALT+F2 then #tar ENTER)

You'll find a routine xinstall. This is the install program. As root you have to type ./xinstall (If you have setup sudoers you be able to call it with your user account by sudo ./xinstall)

I am sure there is a readme or install in the tarball too which explains all necesarry steps.

best regards

## Reimar

```
>
> What happens next depends on whether the file is the install binary or
> source codes. If the former then the above command will untar most
> likely just one file locally to the directory where idl_linux.x86.tar
> is located. In that case type the name of the untar file at the
> prompt. You may have to type ./ before the file name. If however its the
> source codes then above command will create a
> linux directory and untar the files into it. In this case go to this
> directory and read all readme, install and config files on how to compile
> and install the IDL source files.
>
> On 13 Jun 2003, Steve wrote:
>> dear all.
>> I have just downloaded IDL for my linux os, and I would like to
>> install it (I have root access).
>> I am new to linux and IDL :-(
>> The file is idl_linux.x86.tar.gz and it is in my /home/steve
>> Is there any one so kind to drive me ste by step in installation
>> procedure?
>> Thank a lot, cheers!
>>
>>
Forschungszentrum Juelich
email: R.Bauer@fz-juelich.de
http://www.fz-juelich.de/icg/icg-i/
a IDL library at ForschungsZentrum Juelich
http://www.fz-juelich.de/icg/icg-i/idl_icglib/idl_lib_intro. html
```