
Subject: Re: 3D density plot?

Posted by [David Fanning](#) on Mon, 13 May 2002 16:43:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Bernard K. (bknaepen@'skip_this'mac.'and_this'com) writes:

> I have a 3D scalar field, say $r(x,y,z)$, and I would like to produce a 3D
> plot which represents the locations (x,y,z) where r is greater than
> a given value.

I had a similar requirement not too long ago. I hacked up my FSC_Surface program (this seems to be the starting point for a LOT of my subsequent programs!) to produce a sort of 3D pin plot, where the color and length of the pin represented the distance of a galaxy. It could be rotated in 3D space, etc., and was quite useful for visualizing this data.

You can find a picture of the result here:

http://www.dfanning.com/misc/pin_3d.jpg

The FSC_Surface program is here:

http://www.dfanning.com/programs/fsc_surface.pro

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: 3D density plot?

Posted by [Bernard K.](#) on Mon, 13 May 2002 18:20:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear David,

this is not what I have in mind. I browsed the web and found an example:

http://www-fpc.stanford.edu/~bewley/movies/intro_25.25.html

Note that I don't require the movie function (yet :-)). Each gray structure represents a region where the scalar quantity is bigger than a given level.

I nevertheless downloaded FSC_Surface and the required dependencies

and it works great. I do surface plots so it will be very handy for me.

Thanks,
Bernard.

In article <MPG.17499b19c5f635a59898cc@news.frii.com>, David Fanning
<david@dfanning.com> wrote:

> Bernard K. (bknaepen@'skip_this'mac.'and_this'com) writes:
>
>> I have a 3D scalar field, say $r(x,y,z)$, and I would like to produce a 3D
>> plot which represents the locations (x,y,z) where r is greater than
>> a given value.
>
> I had a similar requirement not too long ago. I hacked up
> my FSC_Surface program (this seems to be the starting point
> for a LOT of my subsequent programs!) to produce a sort of
> 3D pin plot, where the color and length of the pin represented
> the distance of a galaxy. It could be rotated in 3D space, etc.,
> and was quite useful for visualizing this data.
>
> You can find a picture of the result here:
>
> http://www.dfanning.com/misc/pin_3d.jpg
>
> The FSC_Surface program is here:
>
> http://www.dfanning.com/programs/fsc_surface.pro
>
> Cheers,
>
> David

Subject: Re: 3D density plot?

Posted by [David Fanning](#) on Mon, 13 May 2002 18:47:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Bernard K. (bknaepen@'skip_this'mac.'and_this'com) writes:

> this is not what I have in mind. I browsed the web and found an example:
> http://www-fpc.stanford.edu/~bewley/movies/intro_25.25.html
> Note that I don't require the movie function (yet :-)). Each gray
> structure represents a region where the scalar quantity is bigger than
> a given level.

This just looks like an isosurface to me. Grid your
data into a 3D volume (Grid3), then use XVolume to

view it. You can easily set the ISOSURFACE level.

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: 3D density plot?

Posted by [Bernard K.](#) on Tue, 14 May 2002 19:35:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear David,

thanks for pointing out to me XVolume. It is quite convenient for what I want to do.

Best wishes,
Bernard.

In article <MPG.1749b8129bd0f5c39898ce@news.frii.com>, David Fanning <david@dfanning.com> wrote:

> Bernard K. (bknaepen@'skip_this'mac.'and_this'com) writes:

>

>> this is not what I have in mind. I browsed the web and found an example:

>> http://www-fpc.stanford.edu/~bewley/movies/intro_25.25.html

>> Note that I don't require the movie function (yet :-)). Each gray

>> structure represents a region where the scalar quantity is bigger than

>> a given level.

>

> This just looks like an isosurface to me. Grid your

> data into a 3D volume (Grid3), then use XVolume to

> view it. You can easily set the ISOSURFACE level.

>

> Cheers,

>

> David

Subject: Re: 3D density plot?

Posted by [Paul Sorenson](#) on Tue, 14 May 2002 20:16:49 GMT

Here is a way you could do the animation:

pro example, dd

```
d = dd
sz = size(d, /dimensions)
for i=0,sz[0]-1 do begin
  xvolume, d, /replace
  filename = 'img' + strcompress(i, /remove_all) + '.bmp'
; xvolume_write_image, filename, 'bmp' ;you can feed these to
xinteranimate
  d = shift(d, 1, 0, 0)
end
```

end

```
IDL> d=randomu(s,5,5,5)
IDL> d=bytsc1(congrid(d,50,25,25))
IDL> xvolume,d ;set your isosurface etc.
IDL> example,d
```

-Paul Sorenson

"Bernard K." <bknaepen@'skip_this'mac.'and_this'com> wrote in message
news:130520022020445831%bknaepen@'skip_this'mac.'and_this'co m...

>

> Dear David,

> this is not what I have in mind. I browsed the web and found an example:

> http://www-fpc.stanford.edu/~bewley/movies/intro_25.25.html

> Note that I don't require the movie function (yet :-)). Each gray

> structure represents a region where the scalar quantity is bigger than

> a given level.

>

> I nevertheless downloaded FSC_Surface and the reuired dependencies

> and it works great. I do surface plots so it will be very handy for me.

>

> Thanks,

> Bernard.

>

> In article <MPG.17499b19c5f635a59898cc@news.frii.com>, David Fanning

> <david@dfanning.com> wrote:

>

>> Bernard K. (bknaepen@'skip_this'mac.'and_this'com) writes:

>>

>>> I have a 3D scalar field, say $r(x,y,z)$, and I would like to produce a

3D

>>> plot which represents the locations (x,y,z) where r is greater than

>>> a given value.
>>
>> I had a similar requirement not too long ago. I hacked up
>> my FSC_Surface program (this seems to be the starting point
>> for a LOT of my subsequent programs!) to produce a sort of
>> 3D pin plot, where the color and length of the pin represented
>> the distance of a galaxy. It could be rotated in 3D space, etc.,
>> and was quite useful for visualizing this data.
>>
>> You can find a picture of the result here:
>>
>> http://www.dfanning.com/misc/pin_3d.jpg
>>
>> The FSC_Surface program is here:
>>
>> http://www.dfanning.com/programs/fsc_surface.pro
>>
>> Cheers,
>>
>> David

-----== Posted via Newsgroups.Com - Uncensored Usenet News ==-----
http://www.newsgroups.com The #1 Newsgroup Service in the World!
-----= Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----

Subject: Re: 3D density plot?
Posted by [Paul Sorenson](#) on Wed, 15 May 2002 04:36:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

You may want to add the HIDE keyword in xvolume.pro as shown here:

```
78  oVol->GetProperty, $
79    rgb_table0=rgb_table0, $
80    opacity_table0=opacity_table0, $
81    hide=hide
82  obj_destroy, oVol
83  oVol = obj_new('IDLgrVolume', $
84    keyword_set(test) ? $
85    congrid(bytscl(randomu((seed=0), 4, 4, 4)), 40, 40, 20)
$
86    : vol, $
87    /zbuff, $
88    interpolate=interpolate, $
89    hints=2, $
```

```
90     /zero_opacity_skip, $
91     /no_copy, $
92     opacity_table0=opacity_table0, $
93     hide=hide, $
94     rgb_table0=rgb_table0 $
95     )
```

"Paul Sorenson" <aardvark62@msn.com> wrote in message
news:3ce16e65_1@corp-goliath.newsgroups.com...

> Here is a way you could do the animation:

```
>
> pro example, dd
>
> d = dd
> sz = size(d, /dimensions)
> for i=0,sz[0]-1 do begin
>   xvolume, d, /replace
>   filename = 'img' + strcompress(i, /remove_all) + '.bmp'
> ; xvolume_write_image, filename, 'bmp'
>   d = shift(d, 1, 0, 0)
>   end
>
> end
>
> IDL> d=randomu(s,5,5,5)
> IDL> d=bytsc1(congrid(d,50,25,25))
> IDL> xvolume,d ;set your isosurface etc.
> IDL> example,d
```

> -Paul Sorenson

> "Bernard K." <bknaepen@'skip_this'mac.'and_this'com> wrote in message
> news:130520022020445831%bknaepen@'skip_this'mac.'and_this'co m...

```
>>
>> Dear David,
>> this is not what I have in mind. I browsed the web and found an example:
>> http://www-fpc.stanford.edu/~bewley/movies/intro\_25.25.html
>> Note that I don't require the movie function ( yet :- ) ). Each gray
>> structure represents a region where the scalar quantity is bigger than
>> a given level.
```

```
>>
>> I nevertheless downloaded FSC_Surface and the reuired dependencies
>> and it works great. I do surface plots so it will be very handy for me.
```

```
>>
>> Thanks,
>> Bernard.
```

```
>>
>> In article <MPG.17499b19c5f635a59898cc@news.frii.com>, David Fanning
```

```
>> <david@dfanning.com> wrote:
>>
>>> Bernard K. (bknaepen@'skip_this'mac.'and_this'com) writes:
>>>
>>>> I have a 3D scalar field, say  $r(x,y,z)$ , and I would like to produce
a
> 3D
>>>> plot which represents the locations  $(x,y,z)$  where  $r$  is greater than
>>>> a given value.
>>>
>>> I had a similar requirement not too long ago. I hacked up
>>> my FSC_Surface program (this seems to be the starting point
>>> for a LOT of my subsequent programs!) to produce a sort of
>>> 3D pin plot, where the color and length of the pin represented
>>> the distance of a galaxy. It could be rotated in 3D space, etc.,
>>> and was quite useful for visualizing this data.
>>>
>>> You can find a picture of the result here:
>>>
>>> http://www.dfanning.com/misc/pin\_3d.jpg
>>>
>>> The FSC_Surface program is here:
>>>
>>> http://www.dfanning.com/programs/fsc\_surface.pro
>>>
>>> Cheers,
>>>
>>> David
>
>
>
>
> -----== Posted via Newsgroups.Com - Uncensored Usenet News
==-----
> http://www.newsgroups.com The #1 Newsgroup Service in the World!
> ----- Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers
=-----

-----== Posted via Newsgroups.Com - Uncensored Usenet News ==-----
http://www.newsgroups.com The #1 Newsgroup Service in the World!
----- Over 100,000 Newsgroups - Unlimited Fast Downloads - 19 Servers =-----
```
