
Subject: Re: switching PS device from color to b/w?
Posted by [David Fanning](#) on Mon, 24 Jun 2002 05:37:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Steve Smith<steven_smith> (nobody@nowhere.com) writes:

> Once I write a color image to the ps device (using set_plot, 'PS'), I
> cannot get the idl session to re-set to b/w, is there such a command? Right
> now I'm starting a second idl session and doing all the greyscale work
> there. Basically, I'd like to send an option like /nocolor to the ps device
> so it will stop making color postscript. Is there any such command?
> I'm using idl 5.2 :(

I'd try this:

```
DEVICE, Color=0
```

:-)

Cheers,

David

--

David W. Fanning, Ph.D.
Fanning Software Consulting, Inc.
Phone: 970-221-0438, E-mail: david@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: switching PS device from color to b/w?
Posted by nobody@nowhere.com (S) on Mon, 24 Jun 2002 16:16:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

thanks David, I'll try that (why didn't I think of it?).

On Sun, 23 Jun 2002 23:37:12 -0600, David Fanning <david@dfanning.com> wrote:

> Steve Smith<steven_smith> (nobody@nowhere.com) writes:
>
>> Once I write a color image to the ps device (using set_plot, 'PS'), I
>> cannot get the idl session to re-set to b/w, is there such a command? Right
>> now I'm starting a second idl session and doing all the greyscale work
>> there. Basically, I'd like to send an option like /nocolor to the ps device
>> so it will stop making color postscript. Is there any such command?
>> I'm using idl 5.2 :(
>
> I'd try this:

>
> DEVICE, Color=0
>
> :-)
>
> Cheers,
>
> David
>
> --
> David W. Fanning, Ph.D.
> Fanning Software Consulting, Inc.
> Phone: 970-221-0438, E-mail: david@dfanning.com
> Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
> Toll-Free IDL Book Orders: 1-888-461-0155

--
Steve S.

steve @ NOSPAM sorry i'm tired of spam
remove spaces, NOSPAM and you'll see there is no email address attached :(!

Subject: Re: switching PS device from color to b/w?
Posted by [Ken Mankoff](#) on Mon, 24 Jun 2002 16:24:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Sun, 23 Jun 2002, David Fanning wrote:
> Steve Smith<steven_smith> (nobody@nowhere.com) writes:
>
>> Once I write a color image to the ps device (using set_plot,
>> 'PS'), I cannot get the idl session to re-set to b/w, is there
>> such a command? Right now I'm starting a second idl session and
>> doing all the greyscale work there. Basically, I'd like to send an
>> option like /nocolor to the ps device so it will stop making color
>> postscript. Is there any such command? I'm using idl 5.2 :(
>
> I'd try this:
>
> DEVICE, Color=0
>

Hi David,

What is the difference between:

DEVICE, color=0

and
DEVICE, /color, bits_per_pixel=1

Which is more appropriate? Is the only difference for those people who argue about black being a color vs. the lack of all colors?

-k.

Subject: Re: switching PS device from color to b/w?
Posted by nobody@nowhere.com (S) on Mon, 24 Jun 2002 17:19:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

I did try it, and it works, thanks again David :) ! However, it doesn't seem documented well in my docs (5.2 Linux). I've used bits_per_pixel to increase the color resolution, but never to reduce it. I tried bits_per_pixel=1, and it's not equivalent to color=0, I still get color output in my PS files. I actually am reading a true color image (3 channels) and I want to convert it to greyscale when I write a postscript output. I can specify the size of the page precisely in idl, so I've a routine to read images and write them to postscript files with a specific size (no surrounding blank or white space), which most of my other apps don't allow this freedom (they have fixed page sizes). I don't know of a better way to do it, but I just found that once you've given the /color directive to idl, it retains it, I needed a way to reset the ps device to it's original state, which by default is black and white. device, color=0 will do it, device, /color, bits_per_pixel=1 doesn't. So they can't be equivalent in practice, in theory it sounds like they should be. Maybe David can explain why they're in not in practice?

On Mon, 24 Jun 2002 10:24:28 -0600, Ken Mankoff
<mankoff@I.HATE.SPAM.cs.colorado.edu> wrote: >

>

> On Sun, 23 Jun 2002, David Fanning wrote:

>> Steve Smith<steven_smith> (nobody@nowhere.com) writes:

>>>

>>> Once I write a color image to the ps device (using set_plot,
>>> 'PS'), I cannot get the idl session to re-set to b/w, is there
>>> such a command? Right now I'm starting a second idl session and
>>> doing all the greyscale work there. Basically, I'd like to send an
>>> option like /nocolor to the ps device so it will stop making color
>>> postscript. Is there any such command? I'm using idl 5.2 :(

>>

>> I'd try this:

>>

>> DEVICE, Color=0

>>

>

> Hi David,

>
> What is the difference between:
>
> DEVICE, color=0
> and
> DEVICE, /color, bits_per_pixel=1
>
> Which is more appropriate? Is the only difference for those people who
> argue about black being a color vs. the lack of all colors?
>
> -k.
>
>

--

Steve S.

steve @ NOSPAM sorry i'm tired of spam
remove spaces, NOSPAM and you'll see there is no email address attached :(!

Subject: Re: switching PS device from color to b/w?
Posted by [David Fanning](#) on Wed, 26 Jun 2002 15:06:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ken Mankoff (mankoff@I.HATE.SPAM.cs.colorado.edu) writes:

> What is the difference between:
>
> DEVICE, color=0
> and
> DEVICE, /color, bits_per_pixel=1
>
> Which is more appropriate? Is the only difference for those people who
> argue about black being a color vs. the lack of all colors?

DEVICE, COLOR=0 turns PostScript color output off. BITS_PER_PIXEL=1 simply stores 1 bit per image pixel in the file every time you do a TV command. It probably stores the lowest bit, so I imagine an image would look pretty strange.

With color turned off, however, you can only get black and white output. If you want gray-scale output, you have to turn COLOR on and load a gray-scale color table.

And, remember, in PostScript you can have any color background you want, as long as it is white. But that is a discussion

for another day. :-)

Cheers,

David

P.S. All this PostScript stuff is pretty much taken care of automatically if you use something like PSCONFIG to set up your PostScript device:

<http://www.dfanning.com/programs/psconfig.zip>

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: switching PS device from color to b/w?
Posted by [David Fanning](#) on Wed, 26 Jun 2002 15:10:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Steve Smith<steven_smith> (nobody@nowhere.com) writes:

> I just found that once you've given the
> /color directive to idl, it retains it,

All PostScript or Z device keywords are "sticky", meaning that they set the device into a particular state until they are changed. What you are forgetting is that /COLOR is equivalent to COLOR=1. If you don't want color you have to set COLOR=0. It is not uncommon for people who use the "slash" form of keywords to forget that, since normally they are *not* dealing with sticky keywords.

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Phone: 970-221-0438, E-mail: david@dfanning.com

Subject: Re: switching PS device from color to b/w?
Posted by [Liam E. Gumley](#) on Wed, 26 Jun 2002 16:02:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

David Fanning wrote:

[stuff deleted]

- > And, remember, in PostScript you can have any color background
- > you want, as long as it is white. But that is a discussion
- > for another day. :-)

To set the background color, my IMDISP procedure uses code similar to the following:

```
x = [-0.01, 1.01, 1.01, -0.01, -0.01]
y = [-0.01, -0.01, 1.01, 1.01, -0.01]
polyfill, x, y, /normal, color=background
```

where the variable "background" is an index in the color table. This is the only way I know of to reliably set the background color on all IDL direct graphics devices. The source for IMDISP is available at

http://www.gumley.com/PIP/Free_Software.html

Cheers,

Liam.

Practical IDL Programming
<http://www.gumley.com/>

Subject: Re: switching PS device from color to b/w?
Posted by [David Fanning](#) on Wed, 26 Jun 2002 17:00:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

Liam E. Gumley (Liam.Gumley@ssec.wisc.edu) writes:

- > To set the background color, my IMDISP procedure uses code similar to
- > the following:
- >
- > x = [-0.01, 1.01, 1.01, -0.01, -0.01]
- > y = [-0.01, -0.01, 1.01, 1.01, -0.01]
- > polyfill, x, y, /normal, color=background
- >
- > where the variable "background" is an index in the color table. This is

> the only way I know of to reliably set the background color on all IDL
> direct graphics devices.

I think this is the only way. It is what I do
in MPI_PLOT too.

Cheers,

David

--

David W. Fanning, Ph.D.
Fanning Software Consulting, Inc.
Phone: 970-221-0438, E-mail: david@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155

Subject: Re: switching PS device from color to b/w?
Posted by [condor](#) on Wed, 10 Jul 2002 00:03:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Somone wrote:

>> What is the difference between:
>>
>> DEVICE, color=0
>> and
>> DEVICE, /color, bits_per_pixel=1

From a conceptual point of view, the secon line still uses color, even
though it can distinguish only between two of them because it has only
one bit available. But the second line could in principle produce
blue-on-purple or red-on-green or even yellow-on-yellow. The first
line properly disbles the use of color entirely.

David Fanning <david@dfanning.com> wrote in message
news:<MPG.17838661372d6237989911@news.frii.com>...

> And, remember, in PostScript you can have any color background
> you want, as long as it is white. But that is a discussion
> for another day. :-)

Actually, this is incorrect: PostScript doesn't have a concept of a
"background color", you get whatever you plot on a clear (or
transparent) "background". The same PS plot sent to a printer with red
paper in it will not plot a white background onto the red paper -- it
will simply use whatever the background color already is (i.e. red in
this case).

The suggested piece of code simply plots a rectangle in a certain *foreground* color and then uses that rectangle as a background to plot something else onto.

All the while there is no "background" anywhere...
