Subject: IDL and NIS - cd?

Posted by kienlin on Tue, 07 Jun 1994 10:55:16 GMT

View Forum Message <> Reply to Message

Hi IDL-folks,

we are running IDL 3.5.1 on an IBM RS6k/530h under AIX 3.2.5. Recently, we have installed yellow pages/NIS on our workstation cluster. All users now have their home-directory on only one workstation, which may be not the workstation running IDL. However, IDL seems to have a problem when the directory from which it is launched is only mounted by NIS(automount):

Giving the command: "cd, current=test" comes back with the error message: "% Unable to get working directory." This prevents execution of utilities like "pickfile". This only occurs when the keyword current is given.

Has anybody encountered this difficulty? Is this due to the symbolic links in the file system hirarchy across the network? Are there workarounds?

Please, mail your replys to kienlin@physik.uni-wuerzburg.de

Thanks and cheers, Markus

Subject: Re: IDL and NIS - cd? Posted by Geoff.Sobering on Thu, 09 Jun 1994 15:25:40 GMT View Forum Message <> Reply to Message

In article <2t4bvk\$r06@winx03.informatik.uni-wuerzburg.de>, Markus von Kienlin <kienlin@physik.uni-wuerzburg.de> wrote:

> Hi again, IDL-folks,

>

- Let me be a little bit more specific about the problem with "cd" in IDL
- > that I described earlier in this group:
- > (a) the problem is not linked to the IDL environment variables which are
- > correctly defined in the script "setup.idl".
- > (b) the problem occurs giving the command "cd, current=some_variable",
- > but only when the current directory is temporarily mounted by the
- > NIS-function "automount". Then the error-message: "% Unable to get
- > working directory." comes up.
- > (c) this is independent from where IDL has been started: the "cd" to the
- > external directory may have been done under Unix before starting IDL, or
- > any time from within IDL.
- > (d) "cd, current=some_variable" works correctly if the current directory
- > is permanently mounted by NFS, or for any directory on the local host.

Is the 'automount'ed directory already mounted when you try the IDL 'cd' command? If not, what happens if you cause the 'automount'er to mount the filesystem (by accessing something in it from UNIX) and then try the 'cd'?

I ask because we have had some problems with IDL's file I/O timing out on files accessed from an optical jukebox when there was a 10-20 second delay while the jukebox loaded the optical platter. The first time we would try and read a file it would fail, but after the platter was mounted (or when using a regular file) the same 'open' command worked without fail.

Geoff Sobering In Vivo NMR Research Center National Institutes of Health